



1 **Title:** Facilitating International Collaboration on Climate Change Research

2 **Authors:** Hao He<sup>1</sup>, Hailong Wang<sup>2</sup>, Zhaoyong Guan<sup>3</sup>, Haishan Chen<sup>3</sup>, Qiang Fu<sup>4</sup>, Muyin  
3 Wang<sup>5,6</sup>, Xiquan Dong<sup>7</sup>, Chunguang Cui<sup>8</sup>, Likun Wang<sup>9</sup>, Bin Wang<sup>10</sup>, Gang Chen<sup>11</sup>,  
4 Zhanqing Li<sup>1</sup>, and Da-lin Zhang<sup>1</sup>

5

6 <sup>1</sup>Department of Atmospheric and Oceanic Science, University of Maryland, College Park,  
7 Maryland, USA

8 <sup>2</sup>Atmospheric Sciences and Global Change Division, Pacific Northwest National  
9 Laboratory, Richland, Washington, USA

10 <sup>3</sup>KLME/CIC-FEMD/ILCEC, Nanjing University of Information Science and Technology,  
11 Nanjing, China

12 <sup>4</sup>Department of Atmospheric Sciences, University of Washington, Seattle, Washington,  
13 USA

14 <sup>5</sup>Joint Institute for the Study of the Atmosphere and Ocean, University of Washington,  
15 Seattle, Washington, USA

16 <sup>6</sup>Pacific Marine Environmental Laboratory, NOAA, Seattle, WA, USA

17 <sup>7</sup>Department of Hydrology and Atmospheric Sciences, University of Arizona, Tucson,  
18 Arizona, USA

19 <sup>8</sup>Hubei Key Laboratory for Heavy Rain Monitoring and Warning Research, Institute of  
20 Heavy Rain, China Meteorological Administration, Wuhan, China

**Early Online Release:** This preliminary version has been accepted for publication in *Bulletin of the American Meteorological Society*, may be fully cited, and has been assigned DOI 10.1175/BAMS-D-19-0320.1. The final typeset copyedited article will replace the EOR at the above DOI when it is published.

21 <sup>9</sup>Earth System Science Interdisciplinary Center, University of Maryland, College Park,  
22 Maryland, USA

23 <sup>10</sup>Department of Atmospheric Sciences, University of Hawaii, Honolulu, Hawaii, USA

24 <sup>11</sup>Department of Atmospheric and Oceanic Sciences, University of California, Los  
25 Angeles, California, USA

26 Corresponding author: Dr. Hao He ([haohe@umd.edu](mailto:haohe@umd.edu))

27

28 The 8<sup>th</sup> COAA International Conference on Atmosphere, Ocean, and Climate Change

29 **What:** Researchers from China, the United States, India, Germany, Israel, and the United  
30 Kingdom presented research results on a variety of important topics related to  
31 atmospheric and oceanic sciences under global climate change, especially for China

32 **When:** July 10-12, 2019

33 **Where:** Nanjing University of Information Science and Technology, Nanjing, China

34

35 The Chinese American Oceanic and Atmospheric Association (COAA) organized  
36 the 8<sup>th</sup> COAA International Conference on Atmosphere, Ocean, and Climate Change  
37 (ICAOCC), which was held at the Nanjing University of Information Science and  
38 Technology (NUIST) campus in Nanjing, China during July 10-12, 2019. The conference  
39 was locally hosted by NUIST and co-sponsored by Nanjing University. This international  
40 conference provided a platform for weather and climate experts in the international  
41 oceanic and atmospheric sciences community to communicate their research, share ideas

42 and experiences, and inspire new research strategies. It also provided a great opportunity  
43 for students and young scholars to forge professional relationships through their  
44 interactions with experts and senior professionals.

45 Global warming has emerged as a big threat to the security of human society and  
46 civilization. Understanding the problem of this scale and providing solutions to climate  
47 change issues require the involvement of researchers from countries all over the world  
48 and of different disciplines and research expertise. In light of this view, the 8<sup>th</sup> ICAOCC  
49 focused on the theme of understanding climate change and accurate weather prediction  
50 under the global warming. It covered several areas that are key to the understanding of  
51 climate change and its impact, including climate observations using satellite and  
52 conventional means, climate and hydrometeorological extremes, climate modeling and  
53 observational analyses, climate change impact and adaptation, ocean-land-atmosphere  
54 interactions, data assimilation technique toward accurate weather prediction, and severe  
55 weather analysis and prediction (detailed information are available at  
56 <http://www.coaaweb.org/COAA2019/index.html>).

57 The three-day conference showcased more than 150 oral presentations and 40  
58 posters within 11 scientific sessions (**Table 1**). Senior researchers and young scholars  
59 shared their research results during the meeting. The majority of participants came from  
60 the United States and China, with some from other four countries. The 8<sup>th</sup> ICAOCC  
61 succeeded in facilitating the communication of ideas and experiences in the practical  
62 application of innovative research to study climate change, weather prediction and global  
63 warming. The conference served as the premier platform for promoting international  
64 collaborations, a key to tackle such global problems as climate change, weather

65 forecasting, and air pollution. With the increasing number of participants, ICOACC could  
66 become a major international conference in these fields to help policy makers around the  
67 world to develop better strategies and work together to confront with global challenges.

68

## 69 **Research highlights**

70 Dr. Bin Wang showed that the decadal variability of the Northern Hemisphere  
71 Land Monsoon Rainfall (NHLMR) is determined primarily by the north-south  
72 hemispheric thermal contrast in the Atlantic-Indian Ocean and by the east-west thermal  
73 contrast in the Pacific. Numerical hindcast simulations demonstrate that the decadal  
74 changes of NHLMR can be predicted approximately a decade in advance with significant  
75 skills (Wang et al. 2018). Dr. Zhuo Wang discussed the variability of tropical cyclone  
76 (TC) activities at the global scale. With more frequent Rossby wave breaking due to  
77 climate change over the North Atlantic, the basin-wide TC counts are reduced, and TCs  
78 become less intense, have a shorter lifetime and are less likely to make landfalls. Dr.  
79 Qinghua Ding presented a global view of the large-scale atmospheric circulation  
80 variability over the last 100 years. The classical ENSO is the leading factor driving global  
81 circulation variability on an interannual time scale. On longer timescales, circulation  
82 changes in the polar regions have largely been driven by the interdecadal tropical SST  
83 variability. Dr. Yi Deng demonstrated the existence of an important connection between  
84 the hydrological cycles of East Asia and North America that is dynamically intrinsic to  
85 the boreal summer upper tropospheric flow. He applied a statistical analysis to historical  
86 data and found a northwest-southeast anomalous precipitation dipole over the U.S. that  
87 can be tracked to anomalous latent heating over East Asia.

88 The western North Pacific (WNP) is one of the most active regions for tropical  
89 cyclogenesis (TCG). Previous studies that focused more on the impact of tropical waves  
90 on TCG underestimated the multi-scale modulation of TCG over WNP. An empirical  
91 orthogonal function analysis shows close associations of the WNP TCG events with  
92 synoptic scale waves (SSWs, ~64%), the Madden-Julian oscillation (MJO, ~68%), quasi-  
93 biweekly oscillation (QBWO, ~64%) and equatorial Rossby (ER, ~65%) waves. Most  
94 TCG events (~79%) are influenced by more than one wave type. Moreover, multi-scale  
95 interaction among these disturbances occurs during TCG. This result indicates that global  
96 warming may affect TCG through the synoptic to intra-seasonal disturbances (Zhao et al.  
97 2019).

98 Global oceanic area, especially the Arctic Ocean, is a data sparse region with a short  
99 period of observational records, although efforts have been made to collect as much data  
100 as possible both spatially and temporally. Thus products from data assimilation and  
101 model simulations are the major tools to study changes in and over ocean. Progresses in  
102 ocean observation, data assimilation, and climate model simulations (including CMIPs,  
103 National Center for Atmospheric Research (NCAR) CESM Large Ensembles (LENs),  
104 and high-resolution WRF regional climate model) were highlighted. AMOC (Atlantic  
105 Meridional Overturning Circulation) variability based on LENs was discussed. Arctic sea  
106 ice variation and projections, ocean frontal zones on the winter time atmospheric large-  
107 scale circulations are other topics presented at the meeting.

108 As another key component of the climate system, land surface processes received a  
109 lot of attention. Advances in land surface model improvements including sub-grid  
110 hydrology, snow albedo, canopy structure and lake parameterization were presented.

111 Several presentations emphasized the importance of land surface in operation weather  
112 forecast and climate prediction. These studies showed the evident response of the land  
113 surface temperature and soil moisture to the global warming and explored the impact of  
114 land surface warming on the regional climate. Meanwhile, the land surface processes  
115 relevant to the human activity have been incorporated in current research. It is well  
116 recognized that the land surface process plays a key role in linking the energy, water,  
117 food and ecosystem, which can be an important direction of future research.

118 In the recent decade, China has experienced severe and persistent haze pollution with  
119 high levels of particulate matter in many major cities. Dr. Renyi Zhang reviewed the  
120 current understanding and various mechanisms of new particle formation in China (An et  
121 al. 2019). Dr. Zhanqing Li pointed out that the high level of pollution originates both  
122 from emissions and complex interactions between meteorology, pollution sources, and  
123 atmospheric boundary-layer processes (Li et al. 2017; Li et al. 2019). Dr. Yang Yang  
124 presented studies showing that the recent intensification of winter haze over China can be  
125 attributed to Arctic changes through weakening the East Asian monsoon (Lou et al. 2019)  
126 and the slowdown of foreign emission reductions (Yang et al. 2018). Complex  
127 interactions between aerosol and climate require reliable estimates of cloud condensation  
128 nuclei (CCN) at the global scale, especially over remote oceans. Dr. Yannian Zhu  
129 presented a new methodology for ascribing cloud properties to CCN and isolating aerosol  
130 effects from meteorological effects (Rosenfeld et al. 2019). This study found that CCN  
131 can explain three fourths of the variability in the radiative cooling effect of clouds,  
132 mainly through affecting shallow cloud cover and water path, which is much larger than  
133 the previously reported sensitivity of cloud radiative forcing to CCN. This extra cooling

134 could be compensated by the potential warming due to aerosol effects on deep convective  
135 and ice clouds. Therefore, current global climate models might not correctly take into  
136 account the significant effects of aerosols on clouds and on Earth's overall energy  
137 balance. In order to identify and estimate the effects of aerosol on clouds more accurately,  
138 Dr. Youtong Zheng presented novel methods of estimating updraft and cloud-surface  
139 coupling by means of satellite remote sensing (Zheng; Li 2019).

140 It has been realized that long-term climate observations sustained over decades are  
141 fundamental and critical to understanding, predicting, and adapting to climate change and  
142 variability. Thus, the climate observation session was focused on generation and analysis  
143 of long-term data products of essential climate variables that are urgently needed to  
144 understand the climate system on different time scales (from sub-seasonal to decadal). On  
145 the one hand, progresses were reported for recent reprocessing efforts to develop long-  
146 term consistent datasets from existing observations in order to address data discontinuity  
147 caused by the discrepancies of instruments and processing software. The exploration and  
148 analysis of climate data sets to monitor and detect changes in the earth system relative to  
149 climate variability were also presented.

150 The multi-scale Meiyu frontal system is responsible for majority of heavy rainfall  
151 and flooding events in China during the boreal warm season, yet observations are  
152 seriously lacking for such a system of tremendous scientific and societal importance. To  
153 address this critical need and provide observational basis for understanding, modeling  
154 and predicting the Meiyu frontal system, an intensive field campaign, Integrative  
155 Monsoon Frontal Rainfall Experiment (IMFRE) was conducted at the Xianning surface  
156 site in the summer of 2018 to lay out the foundation for integrative ground-based,

157 satellite-based and aircraft *in situ* measurements and monitoring of the Meiyu frontal  
158 system. A special focus was placed upon the 3D structure of the embedded mesoscale  
159 convective systems (MCSs) and the associated cloud and precipitation processes. The  
160 ground-based observations include those obtained from the Mesoscale Heavy Rainfall  
161 Observing System (MHROS), regular soundings and surface meteorological variables.  
162 The ShanXi King-Air aircraft equipped with many cloud probes and sensors flew more  
163 than 25 hours during IMFRE. Multiple satellites observations and retrievals were  
164 collected and processed, including Chinese Fengyun and Japanese Himawari-8. We had a  
165 special session of observational and modeling studies that made use of IMFRE and/or  
166 existing observations of Meiyu frontal system.

167

#### 168 **Recommendation for the future COAA conferences**

169         In the 8<sup>th</sup> ICAOCC conference, very few studies were presented in the oceanic  
170 and sea-ice session. Future COAA conferences are likely to involve with more  
171 oceanographers. Ocean and atmosphere are two major components of the climate system,  
172 and a better understanding of their coupling poses a great challenge in making better  
173 predictions of the earth system at all time scales. Participations from both the oceanic and  
174 atmospheric fields ensure issues in the coupled system to be fully discussed and  
175 investigated. The conference also had participants and interests from international  
176 communities other than the Chinese-American oceanic and atmospheric sciences  
177 community. Future COAA conferences shall expand the science scope and keep  
178 embracing individual professionals or groups from diverse regions and cultures so that



179 they can better serve the purpose of facilitating international collaborations on accurate  
180 weather predictions and climate change research.

181

## 182 **References**

183 An, Z., R.-J. Huang, R. Zhang, X. Tie, G. Li, J. Cao, W. Zhou, Z. Shi, Y. Han, Z. Gu, and Y. Ji,  
184 2019: Severe haze in northern China: A synergy of anthropogenic emissions and  
185 atmospheric processes. *Proceedings of the National Academy of Sciences*, **116**, 8657-  
186 8666.

187 Li, Z., J. Guo, A. Ding, H. Liao, J. Liu, Y. Sun, T. Wang, H. Xue, H. Zhang, and B. Zhu, 2017:  
188 Aerosol and boundary-layer interactions and impact on air quality. *National Science*  
189 *Review*, **4**, 810-833.

190 Li, Z., and Coauthors, 2019: East Asian Study of Tropospheric Aerosols and their Impact on  
191 Regional Clouds, Precipitation, and Climate (EAST-AIRCPC). *Journal of Geophysical*  
192 *Research: Atmospheres*, **0**.

193 Lou, S., Y. Yang, H. Wang, S. J. Smith, Y. Qian, and P. J. Rasch, 2019: Black Carbon Amplifies  
194 Haze Over the North China Plain by Weakening the East Asian Winter Monsoon.  
195 *Geophysical Research Letters*, **46**, 452-460.

196 Rosenfeld, D., Y. Zhu, M. Wang, Y. Zheng, T. Goren, and S. Yu, 2019: Aerosol-driven droplet  
197 concentrations dominate coverage and water of oceanic low-level clouds. *Science*, **363**,  
198 eaav0566.

199 Wang, B., J. Li, M. A. Cane, J. Liu, P. J. Webster, B. Xiang, H.-M. Kim, J. Cao, and K.-J. Ha,  
200 2018: Toward Predicting Changes in the Land Monsoon Rainfall a Decade in Advance.  
201 *Journal of Climate*, **31**, 2699-2714.

202 Yang, Y., H. Wang, S. J. Smith, R. Zhang, S. Lou, Y. Qian, P.-L. Ma, and P. J. Rasch, 2018:  
 203 Recent intensification of winter haze in China linked to foreign emissions and  
 204 meteorology. *Scientific Reports*, **8**, 2107.

205 Zhao, H., X. Jiang, L. Wu, and P. J. Klotzbach, 2019: Multi-scale interactions of equatorial waves  
 206 associated with tropical cyclogenesis over the western North Pacific. *Climate Dynamics*,  
 207 **52**, 3023-3038.

208 Zheng, Y., and Z. Li, 2019: Episodes of warm-air advection causing cloud-surface decoupling  
 209 during the MARCUS. *Journal of Geophysical Research: Atmospheres*, **0**.

210

211 **Table 1.** Session information of the 8<sup>th</sup> ICAOCC meeting

Session No.	Topical area	Conveners
S1	Climate Observations	Qiang Fu, Likun Wang, et al.
S2	Climate Dynamics, Variability, and Extremes	Gang Chen, Bin Wang, et al.
S3	Severe Weather and Mesoscale Meteorology	Dalin Zhang, Ming Xue, et al.
S4	Climate Modeling	Zhibo Zhang, Tianjun Zhou, et al.
S5	Climate Reanalysis	Xudong Liang, Xingren Wu, et al.
S6	Oceanic Processes and Climate	Muyin Wang
S7	Air Pollution, Aerosol, and Climate	Zhangqing Li, Renyi Zhang, et al.
S8	Integrative Monsoon Frontal Rainfall Experiment	Xiquan Dong, Chunguang Cui, et al.
S9	Land-Atmosphere Interactions	Yongjiu Dai, Haishan Chen, et al.
S10	Climate Change Impact and Adaptation	Xin-Zhong Liang, Jianping Huang, et al.
S11	Hydrometeorological Extremes	Huan Wu, Dingbao Wang

212