

Nankai Trough Publications

- Bassett, D., Arnulf, A., Kodaira, S., Nakanishi, A., Harding, A., **Moore, G.F.**, 2022, Crustal structure of the Nankai subduction zone revealed by two decades of onshore-offshore and ocean-bottom seismic data: Implications for the dimensions and slip behavior of the seismogenic zone: *Jour. Geophys. Res.*, v. ; doi: 10.1029/2022JB024992.
- Cornard, P. H., Moernaut, J., **Moore, G. F.**, Kioka, A., Kopf, A., dos Santos Ferreira, C., and Strasser, M., 2022, Sequence stratigraphic evolution of the Kumano forearc basin during the last deglaciation: Influence of eustatic and tectonically-controlled shelf morphology on deep-marine sediment dynamics: *Sedimentary Geology*, 106100. doi:<https://doi.org/10.1016/j.sedgeo.2022.106100>
- Hashimoto, Y., Sato, S., Kimura, G., Kinoshita, M., Miyakawa, A., **Moore, G. F.**, Nakano, M., Shiraishi, K., and Yamada, Y., 2022, Décollement geometry controls on shallow very low frequency earthquakes: *Scientific Reports*, v. 12(1), 2677. doi:10.1038/s41598-022-06645-2
- Arnulf, A., Bassett, D., Harding, A., Kodaira, S., Nakanishi, A., and **Moore, G.F.**, 2022, Upper-plate controls on subduction zone geometry, hydration and earthquake behaviour: *Nature Geoscience*, v. 15, No. 2
- Tilley, H.L., **Moore, G.F.**, Underwood, M.B., Hernandez-Molina, J., Yamashita, M., Kodaira, S., and Nakanishi, A., 2021, Heterogeneous sediment input at the Nankai Trough subduction zone: Implications for shallow slow earthquake localization: *Geochem., Geophys., Geosyst.*, v. 22, e2021GC009965. <https://doi.org/10.1029/2021GC009965>.
- Maunde, A., Alves, T.M., and **Moore, G.F.**, 2021, Shallow fault systems of thrust anticlines responding to changes in accretionary prism lithology (Nankai, SE Japan): *Tectonophysics*, v. 812, 228888, <https://doi.org/10.1016/j.tecto.2021.228888>
- Tilley, H.L., **Moore, G.F.**, Yamashita, M., and Kodaira, S., 2021, Along-strike variations in protothrust zone characteristics at the Nankai Trough subduction margin: *Geosphere*, v. 17, No.2, doi:10.1130/GES02305.1
- Asada, M., **Moore, G.F.**, Kawamura, K., Noguchi, T., 2021, A mud volcano located at a fault zone possibly linked to seismogenic faults in the Kumano Basin, Nankai Trough, Japan: *Marine Geophysical Research*, v. 42:4, doi: 10.1007/s11001-020-09425-7.
- Moore, G.F.**, Lackey, J.K., Strasser, M. and Yamashita, M., 2019, Submarine landslides on the Nankai Trough accretionary prism: *Submarine landslides: subaqueous mass transport deposits from outcrops to seismic profiles*, Am. Geophys. Union Monograph 246, p. 247-259.
- Shiraishi, K., **Moore, G.F.**, Yamada, Y., Kinoshita, M., Sanada, Y., and Kimura, G., 2019, Seismogenic zone structures revealed by improved 3D seismic images in the Nankai Trough off Kumano: *Geochem., Geophys., Geosyst.*, doi: 10.1029/2018GC008173.

- Lackey, J.K., **Moore, G.F.**, Strasser, M., 2018, Three-dimensional Mapping and Kinematic Characterization of Mass Transport Deposits Along the Outer Kumano Basin and Nankai Accretionary Wedge, Southwest Japan: *Prog. Earth Planet. Sci.*, Special Issue, v. 5/65, <https://doi.org/10.1186/s40645-018-0223-4>.
- Lackey, J.K., **Moore, G.F.**, Strasser, M., Kopf, A., and Ferreira, C., 2018, Spatial and temporal cross-cutting relationships between fault structures and slope failures along the outer Kumano Basin and Nankai accretionary wedge, SW Japan: Lintern, D. G. et al., (eds) Subaqueous Mass Movements. Geological Society, London, Special Publications, 477, <https://doi.org/10.1144/SP477.10>
- Azevedo, M.C., Alves, T.M., Fonseca, P.E., and **Moore, G.F.**, 2018, Strike-slip deformation reflects complex partitioning of strain in the Nankai accretionary prism (SE Japan): *Tectonophysics*, v. 723, p. 81-94, doi.org/10.1016/j.tecto.2017.11.023
- Yamashita, M., Miura, S., **Moore, G.F.**, Nakanishi, A., Kodaira, S., Kaneda, Y., 2017, Bathymetric imaging of protothrust zone along the Nankai Trough: *Island Arc*, e12233, [doi:10.1111/iar.12233](https://doi.org/10.1111/iar.12233).
- Taladay, K., Boston, B.B. and **Moore, G.F.**, 2017, Gas-in-place estimate for potential gas hydrate concentrated zone in the Kumano Basin, Nankai Trough forearc, Japan: *Energies*, v. 10, #1552, [doi:10.3390/en10101552](https://doi.org/10.3390/en10101552).
- Laberg, J.S., Strasser, M., Alves, T.M., Gao, S., Kawamura, K., Kopf, A., and **Moore, G.F.**, 2016, Internal deformation of a muddy gravity flow and its interaction with the seafloor (Site C0018 of IODP Expedition 333, Nankai Trough, SE Japan): *Landslides*, v. 14, p. 849-860, [doi: 10.1007/s10346-016-0766-7](https://doi.org/10.1007/s10346-016-0766-7).
- Boston, B., **Moore, G.F.**, Jurado, M.J., and Sone, H., 2016, Deformation of the Nankai Trough inner accretionary prism: The role of inherited structures: *Geochem. Geophys. Geosyst.*, v. 17, p. 485-500, [doi: 10.1002/2015GC006185](https://doi.org/10.1002/2015GC006185).
- Moore, G.F.** and Strasser, M., 2015, Large mass transport deposits in Kumano Basin, Nankai Trough, Japan: Submarine Mass Movements and Their Consequences, G. Lamarche et al., eds., Springer, New York, p. 371-379.
- Moore, G.F.**, Boston, B.B., Strasser, M., Underwood, M.B., and Ratliff, R.A., 2015, Evolution of tectono-sedimentary systems in the Kumano Basin, Nankai Trough forearc: *Mar. Petrol. Geology*, v. 67, p. 604-616.
- Van Tuyl, J., Alves, T. M., and **Moore G. F.**, 2015, Strain decoupling reveals variable seismogenic risk in SE Japan (Nankai Trough): *Geochem. Geophys. Geosyst.*, 16, 2025–2037, [doi:10.1002/2015GC005778](https://doi.org/10.1002/2015GC005778).
- Hino, R., Tsuji, T., Bangs, N., Sanada, Y., Park, J-O, von Huene, R., **Moore, G.F.**, Araki, E. and Kinoshita, M., 2015, Qp structure of the accretionary wedge in the Kumano Basin, Nankai

- Trough, Japan, revealed by long-offset walk-away VSP: *Earth Planets Space*, v. 67, doi:10.1186/s40623-014-0175-x.
- Alves, T.M., Strasser, M., and **Moore, G.F.**, 2014, Erosional features as indicators of thrust fault activity (Nankai Trough, Japan): *Marine Geology*, v. 356, p.5-18, doi:10.1016/j.margeo.2013.07.011.
- Moore, G.F.**, Kanagawa, K., Strasser, M., Dugan, B., Maeda, L., Toczko, S., and IODP Exp 338 Sci. Party, 2014, IODP Expedition 338: NanTroSEIZE State 3: NanTroSEIZE plate boundary deep riser 2: *Sci. Dill.*, v. 17, p. 1-12, doi: 10.5194/sd-17-1-2014.
- Bale, S., Alves, T.M., and **Moore, G.F.**, 2014, Distribution of gas hydrates on continental margins by means of a mathematical envelope: A method applied to the interpretation of 3D seismic data: *Geochem. Geophys. Geosyst.*, v. 15, p. 52-68, doi:10.1002/2013GC004938.
- Alves, T.M., Kurtev, K., **Moore, G.**, and Strasser, M., 2014, Assessing the internal character, reservoir potential and seal competence of Mass-Transport Deposits using seismic texture: a geophysical and petrophysical approach: *AAPG Bull.*, v.98, p. 793-824.
- Pickering, K.T., Underwood, M.B., Saito, S., Naruse, H., Kutterolf, S., Scudder, R., Park, J-O., **Moore, G.F.**, and Slagle, A., 2013, Depositional architecture, provenance, and tectonic/eustatic modulation of Miocene submarine fans in the Shikoku Basin: Results from NanTroSEIZE: *Geochem. Geophys. Geosyst.*, v. 14, doi:10.1002/ggge.20107.
- Moore, G.F.**, Boston, B.B., Sacks, A.F. and Saffer, D.M., 2013, Analysis of normal fault populations in the Kumano forearc basin, Nankai Trough, Japan: 1. Multiple orientations and generations of Faults from 3-D coherency mapping: *Geochem. Geophys. Geosyst.*, v. 14, doi:10.1002/ggge.20119
- Underwood, M.B., and **Moore, G.F.**, 2012, Evolution of sedimentary environments in the subduction zone of southwest Japan: recent results from the NantroSEIZE Kumano transect: in: Busby, C. and Perez, A. (eds.), *Tectonics of Sedimentary - Basins Recent Advances*: Wiley-Blackwell, p.310-326.
- Strasser, M., Henry, P., Kanamatsu, T., Thu, M.K., **Moore, G.F.**, and IODP Exp. 333 scientists, 2012, Scientific drilling of mass-transport deposits in the Nankai accretionary wedge: First results from IODP Exp. 333: in Y. Yamada et al. (eds.), *Submarine Mass Movements and Their Consequences*, Advances in Natural and Technological Hazards, v. 31, Springer Book Series, p. 671-681.
- Tsuji, T., Hino, R., Sanada, Y., Yamamoto, K., Park, J-O., No, T., Araki, E., Bangs, N., von Huene, R., **Moore, G.**, and Kinoshita, M., 2011, In situ stress state from walkaround VSP anisotropy in the Kumano Basin southeast of the Kii Peninsula, Japan: *Geochem. Geophys. Geosyst.*, v. 12, Q0AD19, doi:10.1029/2011GC003583.
- Kinoshita, M., **Moore, G.F.**, and Kido, Y., 2011, Heat flow estimated from BSR and IODP borehole data: implication of recent uplifting of the imbricate thrust zone in the Nankai Trough off Kumano: *Geochem. Geophys. Geosyst.*, v. 12, doi:10.1029/2011GC003609.

- Anma, R., Ogawa, Y., **Moore, G. F.**, Kawamura, K., Sasaki, T., Kawakami, S., Dilek, Y., Michiguchi, Y., Endo, R., Akaiwa, S., and Hirano, S., 2011, Structural Profile and Development of the Accretionary Complex in the Nankai Trough, Southwest Japan: Results of Submersible Studies, *in* Ogawa, Y., Anma, R., and Dilek, Y., eds., *Accretionary Prisms and Convergent Margin Tectonics in the Northwest Pacific Basin*, Volume 8, Springer Netherlands, p. 169-196, doi:10.1007/978-90-481-8885-7_8.
- Moore, G.F.**, Saffer, D., Studer, M., and Costa Pisani, P., 2011, Structural restoration of thrusts at the toe of the Nankai Trough accretionary prism off Shikoku Island: Implications for dewatering processes: *Geochem. Geophys. Geosyst.*, v. 12, Q0AD12, doi:10.1029/2010GC003453.
- Strasser, M., **Moore, G.F.**, Kopf, A., Underwood, M., Guo, J., and Screaton, E.J., 2011, Slumping and mass movement deposition in the Nankai forearc: Evidence from IODP drilling and 3-D reflection seismic data: *Geochem. Geophys. Geosyst.*, v. 12, Q0AD13, doi:10.1029/2010GC003431.
- Kimura, G., **Moore, G.F.**, Strasser, M., Screaton, E., Curewitz, D., Streiff, C., and Tobin, H., 2011, Spatial and temporal evolution of the seismo-tsunamigenic splay fault in the Nankai Trough: *Geochem. Geophys. Geosyst.*, v. 12, Q0A008, doi:10.1029/2010GC003335.
- Anma, R., Ogawa, Y., Kawamura, K., **Moore, G.F.**, Sasaki, T., and Kawakami S., 2010, Structures, textures, physical properties of accretionary prism sediments and fluid flow near the Splay Fault zone in the Nankai Trough, off Kii peninsula: *Jour. Geol. Soc. Japan*, v. 116, p. 637–660 (in Japanese with English abstract).
- Gulick, S.P.S., Bangs, N.L.B., **Moore, G.F.**, Ashi, J., Martin, K.M., Sawyer, D.S., Tobin, H.J., Kuramoto, S., and Taira, A., 2010, Rapid forearc basin uplift and megasplay fault development from 3D seismic images of Nankai Margin off Kii Peninsula, Japan: *Earth Planet. Sci. Lett.*, v. 300, p. 55-62, doi:10.1016/j.epsl.2010.09.034.
- Bangs, N.L., Hornbach, M.J., **Moore, G.F.**, and Park, J-O., 2010, Massive methane release triggered by seafloor erosion offshore southwestern Japan: *Geology*, v. 38, p. 1019-1022, doi: 10.1130/G31491.1.
- Park, J-O., Fujie, G., Wjerathne, L., Hori, T., Kodaira, S., Fukao, Y., **Moore, G.F.**, Bangs, N.L., Kuramoto, S., and Taira, A., 2010, A low velocity zone with weak reflectivity along the Nankai subduction zone: *Geology*, v. 38, p. 283-286, doi: 10.1130/G30205.1.
- Martin, K. M., Gulick, S.P., Bangs, N.L., **Moore, G. F.**, Ashi, J., Park, J.-O., Kuramoto, S., and Taira, A., 2010, Possible Strain Partitioning Structure Between the Kumano Forearc Basin and the Slope of the Nankai Trough Accretionary Prism: *Geochem. Geophys. Geosyst.*, v. 11, Q0AD02, doi:10.1029/2009GC002668.
- Minato, S., Tsuji, T., Noguchi, T., Shiraishi, K., Matsuoka, T., Fukao, Y., and **Moore, G.**, 2009, Estimation of detailed temperature distribution of sea water using seismic oceanography: *Butsuri Tansa*, v. 62(5), p. 509-520 (in Japanese with English abstract).

- Uraki, S., Kido, Y., Sanada, Y., Kuramoto, S., Okano, T., Saga, H., Park, J-O., **Moore, G.F.**, and Taira, A., 2009, Kumano-nada 3D seismic data acquisition and processing: *Butsuri-Tansa*, v. 62 (2), p. 277-288.
- Screaton, E., Kimura, G., Curewitz, D., **Moore, G.**, et al., 2009, Interactions between deformation and fluids in the frontal thrust region of the NanTroSEIZE transect offshore the Kii Peninsula, Japan: Results from IODP Expedition 316 Sites C0006 and C0007: *Geochem. Geophys. Geosyst.*, v.10, Q0AD01, doi:10.1029/200GC002713.
- Strasser, M., **Moore, G.F.**, Kimura, G., Kitamura, Y., Kopf, A., J., Lallemand, S., Park, J-O., Screaton, E.J., Su, X., Underwood, M.B., Zhao, X., 2009, Origin and evolution of a splay fault in the Nankai accretionary wedge: *Nature Geosci.*, v. 2, p. 648-651, doi: 10.1038/ngeo609.
- Kawamura, K., Ogawa, Y., Anma, R., Yokoyama, S., Kawakami, S., Dilek, Y., **Moore, G.F.**, et al., 2009, Structural architecture and active deformation of the Nankai accretionary prism, Japan: Submersible survey results from the Tenryu submarine canyon: *Geol. Soc. Amer. Bull.*, v. 121, p. 1629-1646, doi: 10.1130/B26219.1.
- Bangs, N.L.B., **Moore, G.F.**, Gulick, S.P.S., Pangborn, E.M., Tobin, H.J., Kuramoto, S., and Taira, A., 2009, Broad, weak regions of the Nankai Megathrust and implications for shallow coseismic slip: *Earth Planet. Sci. Lett.*, v. 284, p. 44-49, doi:10.1016/j.epsl.2009.04.026.
- Tsuji, T., Park, J-O., **Moore, G.**, Kodaira, S., Fukao, Y., Kuramoto, S., and Bangs, N., 2009, Intraoceanic Thrusts in the Nankai Trough off the Kii Peninsula: Implications for Intraplate Earthquakes: *Geophys. Res. Lett.*, v. 36, L06303, doi:10.1029/2008GL036974.
- Moore, G.F.**, Park, J-O., Bangs, N.L., Gulick, S.P., Tobin, H.J., Nakamura, Y., Saito, S., Tsuji, T., Yoro, T., Tanaka, H., Uraki, S., Kido, Y., Sanada, Y., Kuramoto, S., and Taira, A., 2009, Structural and seismic stratigraphic framework of the NanTroSEIZE Stage 1 transect. In Kinoshita, M., Tobin, H., Ashi, J., Kimura, G., Lallemand, S., Screaton, E.J., Curewitz, D., Masago, H., Moe, K.T., and the Expedition 314/315/316 Scientists, *Proc. IODP, 314-315-316: College Station, TX (Integrated Ocean Drilling Program Management International, Inc.)*. doi:10.2204/iodp.proc.314315316.102.2009
- Tsuji, T., Tokuyama, H., Costa Pisani, P., and **Moore, G.**, 2008, Effective stress and pore pressure in the Nankai accretionary prism off the Muroto Peninsula, southwestern Japan: *Jour. Geophys. Res.*, v. 113, B11401, doi:10.1029/2007JB005002, 19 p.
- Ike, T., **Moore, G.F.**, Kuramoto, S., Park, J-O., Kaneda, Y., and Taira, A., 2008, Variations in sediment thickness and type along the northern Philippine Sea Plate at the Nankai Trough: *Island Arc*, v. 17, p. 324-357, doi:10.1111/j.1440-1738.2008.00624.x
- Ike, T., **Moore, G.F.**, Kuramoto, S., Park, J-O., Kaneda, Y., and Taira, A., 2008, Tectonics and sedimentation around Kashinosaki Knoll: A subducting basement high in the eastern Nankai Trough: *Island Arc*, v. 17, p. 358-375, doi:10.1111/j.1440-1738.2008.00625.x

- Moore, G.F.**, Bangs, N.L., Taira, A., Kuramoto, S. Pangborn, E., and Tobin, H.J., 2007, Three-dimensional splay fault geometry and implications for tsunami generation: *Science*, v. 318, p. 1128-1131. doi: [10.1126/science.1147195](https://doi.org/10.1126/science.1147195)
- Kinoshita, M., **Moore, G.**, von Huene, R., Tobin, H., and Ranero, C.R., 2006, The Seismogenic Zone Experiment: *Oceanography*, v. 19, No. 4, p. 28-38.
- Moore, G.F.**, Mikada, H., Moore, J.C., Becker, K., and Taira, A., 2005, Legs 190/196 synthesis: Deformation and fluid flow processes in the Nankai Trough accretionary prism: Proc. ODP, Sci. Res., v. 190/196, download at <http://www-p.tamu.edu/publications/190196SR/synth/synth.htm>.
- Costa Pisani, P., Reshef, M., and **Moore, G.**, 2005, Targeted 3-D prestack depth imaging at Legs 190-196 ODP drill sites (Nankai Trough, Japan): *Geophys. Res. Lett.*, v. 32, L20309, doi:10.1029/2005GL024191.
- Gulick, S. P. S., Bangs, N. L. B., Shipley, T. H., Nakamura, Y., **Moore, G.**, and Kuramoto, S., 2004, 3-D Architecture of the Nankai Accretionary Prism's Imbricate Thrust Zone off Cape Muroto, Japan: Prism Reconstruction via *En Echelon* Thrust Propagation: *Jour. Geophys. Res.*, v. 109, B02105, 12 p.
- Bangs, N., Shipley, T., Gulick, S., **Moore, G.**, Kuramoto, S., 2004, Evolution of the Nankai Trough Décollement from the Trench into the Seismogenic Zone: Inferences from three-dimensional seismic reflection imaging: *Geology*, v. 32, p. 273-276.
- Heffernan, A.S., Moore, J.C., Bangs, N.L., **Moore, G.F.**, and Shipley, T.H., 2004, Initial deformation in a subduction thrust system: Polygonal normal faulting in the incoming sedimentary sequence of the Nankai subduction zone, Southwestern Japan In: Davies R., J et al (eds.) 3D Seismic Technology: Application to the Exploration of Sedimentary Basins: *Geological Society [London] Memoir* 29, p. 143-148.
- Underwood, M.B., **Moore, G.F.**, Taira, A., Klaus, A., Wilson, M.E.J., Fergusson, C.L., Hirano, S. Steurer, J., 2003, Sedimentary and tectonic evolution of a trench-slope basin in the Nankai subduction zone of southwest Japan, *J. Sediment. Res.*, v. 73, p. 589-602.
- Park, J-O, **Moore, G.F.**, Tsuru, T., Kodaira, S., and Kaneda, Y., 2003, A subducted oceanic ridge influencing the Nankai megathrust earthquake rupture: *Earth Planet. Sci. Lett.*, v. 217, p. 77-84.
- Screaton, E. and others, including **Moore, G.F.**, 2002, Porosity loss within the underthrust sediments of the Nankai accretionary complex; implications for overpressures, *Geology*, v. 30, p. 19-22.
- Moore, G.F.**, Taira, A., Bangs, N., Kuramoto, S., Shipley, T. (and 15 others), 2001, Structural Setting of the Leg 190 Muroto Transect: in: Moore, G.F., Taira, A., Klaus, A., et al., *Proc. ODP, Init. Repts.*, v. 190, Chapter 2.
- Moore, G. F.**, A. Taira, A. Klaus, et al., 2001, New insights into deformation and fluid flow processes in the Nankai Trough accretionary prism: Results of Ocean Drilling Program Leg 190, *Geochem. Geophys. Geosyst.*, v. 2, doi:10.129/2001GC000166.

- Kuramoto, S., Taira, A., Bangs, N.L., Shipley, T.H., and **Moore, G.F.**, 2000, Seismogenic zone in the Nankai accretionary wedge: General summary of Japan-U.S. collaborative 3-D seismic investigation: *J. Geography*, v. 109, p. 531-539.
- Moore, G.F.**, and Shipley, T.H., 1993, Character of the décollement in the ODP Leg 131 area, Nankai Trough: *Proc. ODP, Sci. Results*, v. 131, p. 73-82.
- Moore, G.F.**, 1993, VSP data, Hole 808E, Nankai Trough: *Proc. ODP, Sci. Results*, v. 131, p. 417-422.
- Hyndman, R.D., **Moore, G.F.**, and Moran, K., 1993, Velocity, porosity and pore fluid loss from the Nankai subduction zone accretionary prism: *Proc. ODP, Sci. Res.*, v. 131, p. 211-220.
- Moran, K., and others, including **Moore, G.F.**, 1993, In-situ stress conditions in the Nankai Trough, Site 808, *Proc. ODP Sci. Results*, v. 131, p. 283-291.
- Stoffa, P.L., Wood, W.T., Shipley, T.H., **Moore, G.F.**, Nishiyama, E., Botelho, M.A.B., Taira, A., and Suyehiro, K., 1992, High resolution expanding spread and split-spread marine seismic profiles: Acquisition and velocity analysis methods: *J. Geophys. Res.*, v. 97, p. 1687-1713.
- Taira, A., Hill, I., and others, including **Moore, G.F.**, 1992, Sediment deformation and hydrogeology of the Nankai Trough accretionary prism: Synthesis of shipboard results of ODP Leg 131: *Earth Planet. Sci. Lett.*, v. 109, p. 431-450.
- Hyndman, R., and others, including **Moore, G.F.**, 1992, Deep-sea bottom-simulating reflectors – calibration of the base of the hydrate stability field as used for heat-flow estimates: *Earth Planet. Sci. Lett.*, v. 109, p. 289-301.
- Yamano, M. and others, including **Moore, G.F.**, 1992, Heat flow and fluid flow regime in the western Nankai accretionary prism, *Earth Planet. Sci. Lett.*, v. 109, p. 451-462.
- Moore, G.F.**, Karig, D.E., Shipley, T.H., Taira, A., Stoffa, P.L., and Wood, W.T., 1991, Structural framework of the ODP Leg 131 area, Nankai Trough, *Proc. ODP, Initial Repts.*, v. 131, 15-20.
- Moore, G.F.**, Shipley, T.H., Stoffa, P.L., Karig, D.E., Taira, A., Kuramoto, S., Tokuyama, H., and Suyehiro, K., 1990, Structure of the Nankai Trough accretionary zone from multichannel seismic reflection data: *J. Geophys. Res.*, v. 95, p. 8753-8765.

Edited Volumes

- Strasser, M., Dugan, B., Kanagawa, K., Moore, G.F., Toczko, S., Maeda, L., and the Expedition 338 Scientists, NanTroSEIZE Stage 3: NanTroSEIZE Plate Boundary Deep Riser 2, *Proc. IODP, 338: Yokohama (Integrated Ocean Drilling Program)*. [doi:10.2204/iodp.proc.338.2014](https://doi.org/10.2204/iodp.proc.338.2014)
- Mikada, H., **Moore, G.F.**, Taira, A., Becker, K., Moore, J.C., and Klaus, A. (Eds.), 2004, *Proc. ODP, Sci. Results*, 190/196 [Online]. Available from World Wide Web: <http://www-odp.tamu.edu/publications/190196SR/190196sr.htm>.

Moore, G.F., Taira, A., Klaus, A., et al., 2001, Proc. ODP, Init. Repts., v. 190, College Station, TX.

Papers in Proceedings Volumes

Moore, G.F., Sawyer, D.S., Sanada, Y., and IODP Expedition 314 Sci. Party, 2008, Real-time depth updating of seismic reflection data during drilling using seismicVISION: Proc. 12th Int. Symposium on Recent Advances in Exploration Geophysics: Kyoto Univ., p. 21-24.

Moore, G.F., and Morgan, J.K., 1999, Variations in structure along the Nankai Trough: Seismic reflection images and plans for future experiments: *in*: Proceedings of the International Workshop on Recurrence of Great Interplate Earthquakes and Its Mechanism, Science and Technology Agency, Tokyo, Japan, p. 107-113.