

Table IV-5. Numbers of meteorite classes found (excluding Antarctic) and those recovered shortly after their fall. (Data source: Graham et al., 1985; Sears and Dodd, 1988.)

Class	Find #	Fall #	Fall %	Class	Find #	Fall #	Fall %
Chondrites	(672)	(784)	(86.6)	Stony irons	(57)	(10)	(1.1)
CI	0	5	0.6	Mesosiderite	22	6	0.7
CM	5	18	2	Pallasites	34	3	0.3
CO	2	5	0.6	Lodranites	1	1	0.1
CV	4	7	0.7	Irons	(670)	(42)	(4.6)
H	347	276	30.5	IAB	97	6	0.7
L	286	319	35.2	IC	11	0	
LL	21	66	7.3	IIAB	60	5	0.6
EH	3	7	0.7	IIC	7	0	
EL	4	6	0.7	IID	12	3	0.3
Others		75	8.3	IIE	13	1	0.1
Achondrites	(20)	(69)	(7.7)	IIF	4	1	0.1
Ureilites	6	4	0.4	IIIAB	189	8	0.9
Eucrites	8	25	2.8	IIICD	19	2	0.2
Diogenites	0	9	1.1	IIIE	13	0	
Howardites	3	18	2	IIIF	6	0	
Aubrites	1	9	1.1	IVA	52	3	0.3
SNC	2	4	0.4	IVB	12	0	
				Others	175	13	1.5