

Results from PAT Tags Attached to Large Pelagics

Jeffrey J. Polovina, Evan A. Howell, Donald R. Hawn, and Michael P. Seki


Ecosystems and Oceanography Division
Pacific Island Fisheries Science Center



Pacific Island Fisheries Science Center

Ecosystems and Oceanography Division – J.J. Polovina et al., PFRP PI Workshop, December, 2003

Locations of all PAT Tag Deployments




Opah (*Lampris guttatus*)




Pacific Island Fisheries Science Center

Ecosystems and Oceanography Division — J.J. Polovina et al., PFRP PI Workshop, December, 2003


Dive Behavior of Opah 30568




Daily Dive Depth and Temperature Distributions for Opah Tag 41867 (Trip 4)



Comparison of Opah TAD from Trips 3 and 4




Comparison of Bigeye and Opah TAD




Pacific Island Fisheries Science Center

Ecosystems and Oceanography Division — J.J. Polovina et al., PFRP PI Workshop, December, 2003


Comparison of TAD Frequencies from 4 Pelagics




Locations of all PAT Tag Deployments




Temperature Depth Profiles for Trips 3 and 4




Comparison of Bigeye TAD from Trips 3 and 4



Representative Time at Depth day and night bins for all Trip 3 and 4 OPAH



Temperature Depth Profiles for Trips 3 and 4



F/V Sea Pearl



Don Hawn



Pacific Island Fisheries Science Center

Ecosystems and Oceanography Division — J.J. Polovina et al., PFRP PI Workshop, December, 2003