

BIBLIOGRAPHY – November, 2020

(* = Student or Post-doc First Author)

162. Asada, M., **Moore, G.F.**, Kawamura, K., Noguchi, T., *in prep.*, A mud volcano located at a fault zone possibly linked to seismogenic faults in the Kumano Basin, Nankai Trough, Japan: Marine Geophysical Researches, *submitted* August 19, 2020, manuscript # MARI-D-20-00042.
161. Ito, G. and **Moore, G.F.**, *in prep.*, Widths of imbricate thrust blocks and the strength of the front of accretionary wedges and fold-and-thrust belts: Tectonophysics, *submitted* July 26, 2020, manuscript # TECTO14392.
160. *Tilley, H.L., **Moore, G.F.**, Yamashita, M., and Kodaira, S., *in press*, Along-strike variations in protothrust zone characteristics at the Nankai Trough subduction margin: *Geosphere*, *accepted for publication*: October 22, 2020, manuscript # GS2305.
159. *Lackey, J.K., Regalla, C.A., and **Moore, G.F.**, 2020, Tectonic Influences on Trench Slope Basin Development via Structural Restoration Along the Outer Nankai Accretionary Prism, Southwest Japan: *Geochem., Geophys., Geosyst.*, v. 21, e2020GC009038, doi:10.1029/2020GC009038.
158. **Moore, G.F.**, Lackey, J.K., Strasser, M. and Yamashita, M., 2019, Submarine landslides on the Nankai Trough accretionary prism: *Submarine landslides: subaqueous mass transport deposits from outcrops to seismic profiles*, Am. Geophys. Union Monograph 246, p. 247-259.
157. Shiraishi, K., **Moore, G.F.**, Yamada, Y., Kinoshita, M., Sanada, Y., and Kimura, G., 2019, Seismogenic zone structures revealed by improved 3D seismic images in the Nankai Trough off Kumano: *Geochem., Geophys., Geosyst.*, doi: 10.1029/2018GC008173.
156. **Moore, G.F.**, Lin Thu Aung, R. Fukuchi, J.C. Sample, E. Hellebrand, A. Kopf, W. Naing, Win Min Than and Tin Naing Tun, 2019, Tectonic, diapiric and sedimentary chaotic rocks of the Rakhine coast, western Myanmar: *Gondwana Research*, v. 74, 126-143. <https://doi.org/10.1016/j.gr.2019.04.006>.
155. *Lackey, J.K., **Moore, G.F.**, Strasser, M., 2018, Three-dimensional Mapping and Kinematic Characterization of Mass Transport Deposits Along the Outer Kumano Basin and Nankai Accretionary Wedge, Southwest Japan: *Prog. Earth Planet. Sci.*, Special Issue, v. 5/65, <https://doi.org/10.1186/s40645-018-0223-4>.
154. Ohira, A., Kodaira, S., **Moore, G.F.**, Fujiwara, T., Kaiho, Y., Miura, S., Fujie, G., 2018, Active-source seismic survey on the northeastern Hawaiian Arch: Insights into crustal structure and mantle reflectors: *Earth Planets Space*, 70:121, <https://doi.org/10.1186/s40623-018-0891-8>

153. Weiss, J.R., Ito, G., Brooks, B. A., Olive, J.A., **Moore, G.F.**, and Foster, J.J., 2018, Formation of the frontal thrust zone of accretionary wedges: *Earth Planet. Sci. Lett.*, v. 495, p. 87-100.
152. *Lackey, J.K., **Moore, G.F.**, Strasser, M., Kopf, A., and Ferreira, C., 2018, Spatial and temporal cross-cutting relationships between fault structures and slope failures along the outer Kumano Basin and Nankai accretionary wedge, SW Japan: Lintern, D. G. et al., (eds) *Subaqueous Mass Movements*. Geological Society, London, Special Publications, 477, p. 23-36, <https://doi.org/10.1144/SP477.10>
151. Azevedo, M.C., Alves, T.M., Fonseca, P.E., and **Moore, G.F.**, 2018, Strike-slip deformation reflects complex partitioning of strain in the Nankai accretionary prism (SE Japan): *Tectonophysics*, v. 723, p. 81-94, doi.org/10.1016/j.tecto.2017.11.023
150. Yamashita, M., Miura, S., **Moore, G.F.**, Nakanishi, A., Kodaira, S., Kaneda, Y., 2017, Bathymetric imaging of protothrust zone along the Nankai Trough: *Island Arc*, e12233, doi:10.1111/iar.12233.
149. *Taladay, K., *Boston, B.B. and **Moore, G.F.**, 2017, Gas-in-place estimate for potential gas hydrate concentrated zone in the Kumano Basin, Nankai Trough forearc, Japan: *Energies*, v. 10, #1552, doi:10.3390/en10101552.
148. *Boston, B., **Moore, G.F.**, Nakamura, Y., and Kodaira, S., 2017, Forearc Slope Deformation above the Japan Trench Megathrust: Implications for Subduction Erosion: *Earth Planet. Sci. Lett.*, v. 462, p. 26-34.
147. Laberg, J.S., Strasser, M., Alves, T.M., Gao, S., Kawamura, K., Kopf, A., and **Moore, G.F.**, 2016, Internal deformation of a muddy gravity flow and its interaction with the seafloor (Site C0018 of IODP Expedition 333, Nankai Trough, SE Japan): *Landslides*, v. 14, p. 849-860, doi: 10.1007/s10346-016-0766-7.
146. *Boston, B., **Moore, G.F.**, Jurado, M.J., and Sone, H., 2016, Deformation of the Nankai Trough inner accretionary prism: The role of inherited structures: *Geochem. Geophys. Geosyst.*, v. 17, p. 485-500, doi: 10.1002/2015GC006185.
145. **Moore, G.F.** and Strasser, M., 2015, Large mass transport deposits in Kumano Basin, Nankai Trough, Japan: Submarine Mass Movements and Their Consequences, G. Lamarche et al., eds., Springer, New York, p. 371-379.
144. **Moore, G.F.**, Boston, B.B., Strasser, M., Underwood, M.B., and Ratliff, R.A., 2015, Evolution of tectono-sedimentary systems in the Kumano Basin, Nankai Trough forearc: *Mar. Petrol. Geology*, v. 67, p. 604-616.
143. Van Tuyl, J., Alves, T. M., and **Moore G. F.**, 2015, Strain decoupling reveals variable seismogenic risk in SE Japan (Nankai Trough): *Geochem. Geophys. Geosyst.*, 16, 2025–2037, doi:10.1002/2015GC005778.

142. Hino, R., Tsuji, T., Bangs, N., Sanada, Y., Park, J-O, von Huene, R., **Moore, G.F.**, Araki, E. and Kinoshita, M., 2015, Qp structure of the accretionary wedge in the Kumano Basin, Nankai Trough, Japan, revealed by long-offset walk-away VSP: *Earth Planets Space*, v. 67, doi:10.1186/s40623-014-0175-x.
141. *Boston, B., **Moore, G.F.**, Nakamura, Y., and Kodaira, S., 2014, Outer-rise normal fault development and influence on near-trench décollement propagation along the Japan Trench, off Tohoku: *Earth, Planets, Space*, v. 66, # 135, p. 1-17, doi:10.1186/1880-5981-66-135.
140. Alves, T.M., Strasser, M., and **Moore, G.F.**, 2014, Erosional features as indicators of thrust fault activity (Nankai Trough, Japan): *Marine Geology*, v. 356, p.5-18, doi:10.1016/j.margeo.2013.07.011.
139. **Moore, G.F.**, Kanagawa, K., Strasser, M., Dugan, B., Maeda, L., Toczko, S., and IODP Exp 338 Sci. Party, 2014, IODP Expedition 338: NanTroSEIZE State 3: NanTroSEIZE plate boundary deep riser 2: *Sci. Drill.*, v. 17, p. 1-12, doi: 10.5194/sd-17-1-2014.
138. Bale, S., Alves, T.M., and **Moore, G.F.**, 2014, Distribution of gas hydrates on continental margins by means of a mathematical envelope: A method applied to the interpretation of 3D seismic data: *Geochem. Geophys. Geosyst.*, v. 15, p. 52-68, doi:10.1002/2013GC004938.
137. Alves, T.M., Kurtev, K., **Moore, G.**, and Strasser, M., 2014, Assessing the internal character, reservoir potential and seal competence of Mass-Transport Deposits using seismic texture: a geophysical and petrophysical approach: *AAPG Bull.*, v.98, p. 793-824.
136. Pickering, K.T., Underwood, M.B., Saito, S., Naruse, H., Kutterolf, S., Scudder, R., Park, J-O., **Moore, G.F.**, and Slagle, A., 2013, Depositional architecture, provenance, and tectonic/eustatic modulation of Miocene submarine fans in the Shikoku Basin: Results from NanTroSEIZE: *Geochem. Geophys. Geosyst.*, v. 14, doi:10.1002/ggge.20107.
135. **Moore, G.F.**, Boston, B.B., Sacks, A.F. and Saffer, D.M., 2013, Analysis of normal fault populations in the Kumano forearc basin, Nankai Trough, Japan: 1. Multiple orientations and generations of Faults from 3-D coherency mapping: *Geochem. Geophys. Geosyst.*, v. 14, doi:10.1002/ggge.20119
134. Underwood, M.B., and **Moore, G.F.**, 2012, Evolution of sedimentary environments in the subduction zone of southwest Japan: recent results from the NantroSEIZE Kumano transect: in: Busby, C. and Perez, A. (eds.), *Tectonics of Sedimentary - Basins Recent Advances*: Wiley-Blackwell, p.310-326.
133. Strasser, M., Henry, P., Kanamatsu, T., Thu, M.K., **Moore, G.F.**, and IODP Exp. 333 scientists, 2012, Scientific drilling of mass-transport deposits in the Nankai accretionary wedge: First results from IODP Exp. 333: in Y. Yamada et al. (eds.), *Submarine Mass Movements and Their Consequences*, Advances in Natural and Technological Hazards, v. 31, Springer Book Series, p. 671-681.

132. Tsuji, T., Hino, R., Sanada, Y., Yamamoto, K., Park, J-O., No, T., Araki, E., Bangs, N., von Huene, R., **Moore, G.**, and Kinoshita, M., 2011, In situ stress state from walkaround VSP anisotropy in the Kumano Basin southeast of the Kii Peninsula, Japan: *Geochem. Geophys. Geosyst.*, v. 12, Q0AD19, doi:10.1029/2011GC003583.
131. Kinoshita, M., **Moore, G.F.**, and Kido, Y., 2011, Heat flow estimated from BSR and IODP borehole data: implication of recent uplifting of the imbricate thrust zone in the Nankai Trough off Kumano: *Geochem. Geophys. Geosyst.*, v. 12, doi:10.1029/2011GC003609.
130. Anma, R., Ogawa, Y., **Moore, G. F.**, Kawamura, K., Sasaki, T., Kawakami, S., Dilek, Y., Michiguchi, Y., Endo, R., Akaiwa, S., and Hirano, S., 2011, Structural Profile and Development of the Accretionary Complex in the Nankai Trough, Southwest Japan: Results of Submersible Studies, in Ogawa, Y., Anma, R., and Dilek, Y., eds., *Accretionary Prisms and Convergent Margin Tectonics in the Northwest Pacific Basin*, Volume 8, Springer Netherlands, p. 169-196, doi:10.1007/978-90-481-8885-7_8.
129. **Moore, G.F.**, Saffer, D., Studer, M., and Costa Pisani, P., 2011, Structural restoration of thrusts at the toe of the Nankai Trough accretionary prism off Shikoku Island: Implications for dewatering processes: *Geochem. Geophys. Geosyst.*, v. 12, Q0AD12, doi:10.1029/2010GC003453.
128. *Strasser, M., **Moore, G.F.**, Kopf, A., Underwood, M., Guo, J., and Screaton, E.J., 2011, Slumping and mass movement deposition in the Nankai forearc: Evidence from IODP drilling and 3-D reflection seismic data: *Geochem. Geophys. Geosyst.*, v. 12, Q0AD13, doi:10.1029/2010GC003431.
127. Kimura, G., **Moore, G.F.**, Strasser, M., Screaton, E., Curewitz, D., Streiff, C., and Tobin, H., 2011, Spatial and temporal evolution of the seismo-tsunamigenic splay fault in the Nankai Trough: *Geochem. Geophys. Geosyst.*, v. 12, Q0A008, doi:10.1029/2010GC003335.
126. Anma, R., Ogawa, Y., Kawamura, K., **Moore, G.F.**, Sasaki, T., and Kawakami S., 2010, Structures, textures, physical properties of accretionary prism sediments and fluid flow near the Splay Fault zone in the Nankai Trough, off Kii peninsula: *Jour. Geol. Soc. Japan*, v. 116, p. 637–660 (in Japanese with English abstract).
125. Gulick, S.P.S., Bangs, N.L.B., **Moore, G.F.**, Ashi, J., Martin, K.M., Sawyer, D.S., Tobin, H.J., Kuramoto, S., and Taira, A., 2010, Rapid forearc basin uplift and megasplay fault development from 3D seismic images of Nankai Margin off Kii Peninsula, Japan: *Earth Planet. Sci. Lett.*, v. 300, p. 55-62, doi:10.1016/j.epsl.2010.09.034.
124. Bangs, N.L., Hornbach, M.J., **Moore, G.F.**, and Park, J-O., 2010, Massive methane release triggered by seafloor erosion offshore southwestern Japan: *Geology*, v. 38, p. 1019-1022, doi: 10.1130/G31491.1.
123. Park, J-O., Fujie, G., Wjerathne, L., Hori, T., Kodaira, S., Fukao, Y., **Moore, G.F.**, Bangs, N.L., Kuramoto, S., and Taira, A., 2010, A low velocity zone with weak reflectivity along the Nankai subduction zone: *Geology*, v. 38, p. 283-286, doi: 10.1130/G30205.1.

122. *Becker, N.C., Fryer, P., and **Moore, G.F.**, 2010, Malaguana-Gadao Ridge: Identification and implications of a magma chamber reflector in the southern Mariana Trough: *Geochem. Geophys. Geosyst.*, v. 11, Q04X13, doi:10.1029/2009GC002719.
121. *Martin, K. M., Gulick, S.P., Bangs, N.L., **Moore, G. F.**, Ashi, J., Park, J.-O., Kuramoto, S., and Taira, A., 2010, Possible Strain Partitioning Structure Between the Kumano Forearc Basin and the Slope of the Nankai Trough Accretionary Prism: *Geochem. Geophys. Geosyst.*, v. 11, Q0AD02, doi:10.1029/2009GC002668.
120. Minato, S., Tsuji, T., Noguchi, T., Shiraishi, K., Matsuoka, T., Fukao, Y., and **Moore, G.**, 2009, Estimation of detailed temperature distribution of sea water using seismic oceanography: *Butsuri Tansa*, v. 62(5), p. 509-520 (in Japanese with English abstract).
119. Uraki, S., Kido, Y., Sanada, Y., Kuramoto, S., Okano, T., Saga, H., Park, J.-O., **Moore, G.F.**, and Taira, A., 2009, Kumano-nada 3D seismic data acquisition and processing: *Butsuri-Tansa*, v. 62 (2), p. 277-288.
118. Screaton, E., Kimura, G., Curewitz, D., **Moore, G.**, et al., 2009, Interactions between deformation and fluids in the frontal thrust region of the NanTroSEIZE transect offshore the Kii Peninsula, Japan: Results from IODP Expedition 316 Sites C0006 and C0007: *Geochem. Geophys. Geosyst.*, v.10, Q0AD01, doi:10.1029/2009GC002713.
117. *Strasser, M., **Moore, G.F.**, Kimura, G., Kitamura, Y., Kopf, A., J., Lallemand, S., Park, J.-O., Screaton, E.J., Su, X., Underwood, M.B., Zhao, X., 2009, Origin and evolution of a splay fault in the Nankai accretionary wedge: *Nature Geosci.*, v. 2, p. 648-651, doi: 10.1038/ngeo609.
116. Kawamura, K., Ogawa, Y., Anma, R., Yokoyama, S., Kawakami, S., Dilek, Y., **Moore, G.F.**, et al., 2009, Structural architecture and active deformation of the Nankai accretionary prism, Japan: Submersible survey results from the Tenryu submarine canyon: *Geol. Soc. Amer. Bull.*, v. 121, p. 1629-1646, doi: 10.1130/B26219.1.
115. Bangs, N.L.B., **Moore, G.F.**, Gulick, S.P.S., Pangborn, E.M., Tobin, H.J., Kuramoto, S., and Taira, A., 2009, Broad, weak regions of the Nankai Megathrust and implications for shallow coseismic slip: *Earth Planet. Sci. Lett.*, v. 284, p. 44-49, doi:10.1016/j.epsl.2009.04.026.
114. *Oakley, A.J., Taylor, G., **Moore, G.F.**, and Goodliffe, A., 2009, Sedimentary, volcanic, and tectonic processes of the central Mariana Arc: Mariana Trough back-arc basin formation and the West Mariana Ridge: *Geochem. Geophys. Geosyst.*, v.10, Q08X07, doi:10.1029/2008GC002312.
113. Tsuji, T., Park, J.-O., **Moore, G.**, Kodaira, S., Fukao, Y., Kuramoto, S., and Bangs, N., 2009, Intraoceanic Thrusts in the Nankai Trough off the Kii Peninsula: Implications for Intraplate Earthquakes: *Geophys. Res. Lett.*, v. 36, L06303, doi:10.1029/2008GL036974.

112. **Moore, G.F.**, Park, J.-O., Bangs, N.L., Gulick, S.P., Tobin, H.J., Nakamura, Y., Saito, S., Tsuji, T., Yoro, T., Tanaka, H., Uraki, S., Kido, Y., Sanada, Y., Kuramoto, S., and Taira, A., 2009, Structural and seismic stratigraphic framework of the NanTroSEIZE Stage 1 transect. *In* Kinoshita, M., Tobin, H., Ashi, J., Kimura, G., Lallemand, S., Scretton, E.J., Curewitz, D., Masago, H., Moe, K.T., and the Expedition 314/315/316 Scientists, *Proc. IODP*, 314-315-316: College Station, TX (Integrated Ocean Drilling Program Management International, Inc.). doi:10.2204/iodp.proc.314315316.102.2009
111. *Tsuji, T., Tokuyama, H., Costa Pisani, P., and **Moore, G.**, 2008, Effective stress and pore pressure in the Nankai accretionary prism off the Muroto Peninsula, southwestern Japan: *Jour. Geophys. Res.*, v. 113, B11401, doi:10.1029/2007JB005002, 19 p.
110. *Chapp, E., Taylor, B., Oakley, A., **Moore, G.F.**, 2008, A seismic Stratigraphic analysis of Mariana forearc basin evolution: *Geochem. Geophys. Geosyst.*, v. 9, Q10X02, doi:10.1029/2008GC001998.
109. *Oakley, A. J., B. Taylor, and **G. F. Moore**, 2008, Pacific Plate subduction beneath the central Mariana and Izu-Bonin fore arcs: New insights from an old margin: *Geochem. Geophys. Geosyst.*, v. 9, Q06003, doi:10.1029/2007GC001820.
108. *Ike, T., **Moore, G.F.**, Kuramoto, S., Park, J-O., Kaneda, Y., and Taira, A., 2008, Variations in sediment thickness and type along the northern Philippine Sea Plate at the Nankai Trough: *Island Arc*, v. 17, p. 324-357, doi:10.1111/j.1440-1738.2008.00624.x
107. *Ike, T., **Moore, G.F.**, Kuramoto, S., Park, J-O., Kaneda, Y., and Taira, A., 2008, Tectonics and sedimentation around Kashinosaki Knoll: A subducting basement high in the eastern Nankai Trough: *Island Arc*, v. 17, p. 358-375, doi:10.1111/j.1440-1738.2008.00625.x
106. *Oakley, A.J., Taylor, B., Fryer, P., **Moore, G.F.**, Goodliffe, A.M., and Morgan, J.K., 2007, Emplacement, growth, and gravitational deformation of serpentinite seamounts on the Mariana forearc: *Geophys. Jour. Int.*, v. 170, p. 615-634.
105. **Moore, G.F.**, Bangs, N.L., Taira, A., Kuramoto, S. Pangborn, E., and Tobin, H.J., 2007, Three-dimensional splay fault geometry and implications for tsunami generation: *Science*, v. 318, p. 1128-1131. doi: [10.1126/science.1147195](https://doi.org/10.1126/science.1147195)
104. Garcia, M.O., Sherman, S., **Moore, G.F.**, Goll, R., Popova-Goll, Natland, J., and Acton, G., 2006, Frequent landslides from Ko`olau volcano: results from ODP Hole 1223: *Jour. Volc. Geotherm. Res.*, v. 151, p. 251-268.
103. Kinoshita, M., **Moore, G.**, von Huene, R., Tobin, H., and Ranero, C.R., 2006, The Seismogenic Zone Experiment: *Oceanography*, v. 19, No. 4, p. 28-38.
102. **Moore, G.F.**, Mikada, H., Moore, J.C., Becker, K., and Taira, A., 2005, Legs 190/196 synthesis: Deformation and fluid flow processes in the Nankai Trough accretionary prism: *Proc. ODP, Sci. Res.*, v. 190/196, download at <http://www-p.tamu.edu/publications/190196SR/synth/synth.htm>.
101. *Costa Pisani, P., Reshef, M., and **Moore, G.**, 2005, Targeted 3-D prestack depth imaging at Legs 190-196 ODP drill sites (Nankai Trough, Japan): *Geophys. Res. Lett.*, v. 32, L20309, doi:10.1029/2005GL024191.

100. *Chi, W.C., Reed, D.L., **Moore, G.F.**, Nguyen, N., Liu, C.S. and Lundberg, N., 2004, Tectonic wedging along the rear of the offshore Taiwan accretionary prism: *Tectonophys.*, v. 374, p. 199-217.
99. Gulick, S. P. S., Bangs, N. L. B., Shipley, T. H., Nakamura, Y., **Moore, G.**, and Kuramoto, S., 2004, 3-D Architecture of the Nankai Accretionary Prism's Imbricate Thrust Zone off Cape Muroto, Japan: Prism Reconstruction via *En Echelon* Thrust Propagation: *Jour. Geophys. Res.*, v. 109, B02105, 12 p.
98. Bangs, N., Shipley, T., Gulick, S., **Moore, G.**, Kuramoto, S., 2004, Evolution of the Nankai Trough Décollement from the Trench into the Seismogenic Zone: Inferences from three-dimensional seismic reflection imaging: *Geology*, v. 32, p. 273-276.
97. Heffernan, A.S., Moore, J.C., Bangs, N.L., **Moore, G.F.**, and Shipley, T.H., 2004, Initial deformation in a subduction thrust system: Polygonal normal faulting in the incoming sedimentary sequence of the Nankai subduction zone, Southwestern Japan In: Davies R.. J et al (eds.) 3D Seismic Technology: Application to the Exploration of Sedimentary Basins: *Geological Society [London] Memoir* 29, p. 143-148.
96. Coombs, M.L., Clague, D.A., **Moore, G.F.**, and Cousens, B.L., 2004, Growth and collapse of the Waianae Volcano, Hawaii, as revealed by exploration of its submarine flanks: *Geochem. Geophys. Geosyst.*, 5, Q08006, doi:10.1029/2004GC000717.
95. Morgan, J.K., **Moore, G.F.**, and Clague, D.A., 2003, Slope failure and volcanic spreading along the mobile south flank of Kilauea volcano, Hawaii: *Jour. Geophys. Res.*, v. 108, p.EPM1-1-23.
94. Underwood, M.B., **Moore, G.F.**, Taira, A., Klaus, A., Wilson, M.E.J., Fergusson, C.L., Hirano, S. Steurer, J., 2003, Sedimentary and tectonic evolution of a trench-slope basin in the Nankai subduction zone of southwest Japan, *J. Sediment. Res.*, v. 73, p. 589-602.
93. *Leslie, S.C., **Moore, G.F.**, Morgan, J.K., 2003, Internal structure of Puna Ridge: Evolution of the submarine east rift zone of Kilauea volcano, Hawaii, *Jour. Volc. Geotherm. Res.*, v. 129, p. 237-258.
92. Park, J-O, **Moore, G.F.**, Tsuru, T., Kodaira, S., and Kaneda, Y., 2003, A subducted oceanic ridge influencing the Nankai megathrust earthquake rupture: *Earth Planet. Sci. Lett.*, v. 217, p. 77-84.
91. *Leslie, S.C., **Moore, G.F.**, Morgan, J.K., and Hills, D.J., 2002, Seismic stratigraphy and sedimentary processes of the frontal Hawaiian moat: implications for sedimentary processes at the leading edge of an oceanic hotspot trace: *Marine Geology*, v. 184, p. 143-162.
90. Sibuet, J-C., Hsu, S-K., LePichon, X., LeFormal, J-P., Reed, D., **Moore, G.F.**, and Liu, C-S., 2002, East Asia plate tectonics since 15 Ma: constraints from the Taiwan region: *Tectonophys.*, v. 344, p. 103-134.
89. Screaton, E. and others, including **Moore, G.F.**, 2002, Porosity loss within the underthrust sediments of the Nankai accretionary complex; implications for overpressures, *Geology*, v. 30, p. 19-22.

88. **Moore, G.F.**, Taira, A., Bangs, N., Kuramoto, S., Shipley, T. (and 15 others), 2001, Structural Setting of the Leg 190 Muroto Transect: *in*: Moore, G.F., Taira, A., Klaus, A., et al., *Proc. ODP, Init. Repts.*, v. 190, Chapter 2.
87. **Moore, G. F.**, A. Taira, A. Klaus, et al., 2001, New insights into deformation and fluid flow processes in the Nankai Trough accretionary prism: Results of Ocean Drilling Program Leg 190, *Geochem. Geophys. Geosyst.*, v. 2, doi:10.129/2001GC000166.
86. *Hills, D.J., Morgan, J.K., **Moore, G.F.**, and Leslie, S.C., 2001, Structural variability along the submarine south flank of Kilauea volcano, Hawai'i from a multichannel seismic reflection survey: *AGU Geophysical Monograph* 128, p. 105-124.
85. Symonds, P.A., Eldholm, O., Mascle, J., and **Moore, G.F.**, 2000, Characteristics of Continental Margins: *in*: Cook, P.J., and Carleton, C.M. (eds.), *Continental Shelf Limits – The Scientific and Legal Interface*: Oxford Press, p. 25-63.
84. Moore, J.C., and others, including **Moore, G.F.**, 2000, Synthesis of results; logging while drilling, northern Barbados accretionary prism, *in*: J.C. Moore, A. Klaus (Eds.), *Proc. ODP Sci. Reports*, v. 171A, p. 1-25.
83. Kuramoto, S., Taira, A., Bangs, N.L., Shipley, T.H., and **Moore, G.F.**, 2000, Seismogenic zone in the Nankai accretionary wedge: General summary of Japan-U.S. collaborative 3-D seismic investigation: *J. Geography*, v. 109, p. 531-539.
82. Morgan, J.K., **Moore, G.F.**, Hills, D.J., and Leslie, S., 2000, Overthrusting and sediment accretion along Kilauea's mobile south flank, Hawaii: Evidence for volcanic spreading from marine seismic reflection data: *Geology*, v. 28, p. 667-670.
81. *Zhao, Z., **Moore, G.F.**, Bangs, N.L.B., and Shipley, T.H., 2000, Spatial variations of the décollement/ proto-décollement zone and their implications: A 3-D seismic inversion study of the northern Barbados accretionary prism: *The Island Arc*, v. 9, p. 219-236.
80. *Berndt, C. and **Moore, G.F.**, 1999, Dependence of multiple-attenuation techniques on the geologic setting: A case study from offshore Taiwan: *The Leading Edge*, Vol. 18, No.1, pp. 74-80.
79. Bangs, N.L., Shipley, T.H., Moore, J.C., **Moore, G.F.**, 1999, Fluid accumulation and channeling along the northern Barbados Ridge décollement thrust: *Jour. Geophys. Res.*, v. 104, p. 20399-20414.
78. Trehu, A.M., Torres, M.E., **Moore, G.F.**, Suess, E., and Bohrmann, G., 1999, Temporal and spatial evolution of a gas hydrate-bearing accretionary ridge on the Oregon continental margin: *Geology*, v. 27, p. 939-942.
77. *Zhao, Z., **Moore, G.F.**, and Shipley, T.H., 1998, Deformation and dewatering of the subducting plate beneath the lower slope of the northern Barbados accretionary prism: *Jour. Geophys. Res.*, v. 103, p. 30431-30449.
76. Moore, J.C., and 19 others, including **Moore, G.F.**, 1998, Consolidation patterns during initiation and evolution of a plate-boundary décollement zone: Northern Barbados accretionary prism: *Geology*, v. 26, p. 811-814.

75. **Moore, G.F.**, Zhao, Z., and Shipley, T.H., 1997, Integration of vertical seismic profiling, logging, and seismic data in the vicinity of the décollement, northern Barbados Ridge accretionary prism: *Proc. ODP, Sci. Results*, v. 156, p. 255-262.
74. Shipley, T.H., **Moore, G.F.**, Tobin, H.J., and Moore, J.C., 1997, Synthesis of the Barbados décollement seismic reflection response from drilling-based geophysical observations and physical properties: *Proc. ODP, Sci. Results*, v. 156, p. 293-302.
73. Fisher, A.T., and others, including **Moore, G.F.**, 1996, Relation between permeability and effective stress along a plate-boundary fault, Barbados accretionary complex: *Geology*, v. 24, p. 307-310.
72. Housen, B.A., and others, including **Moore, G.F.**, 1996, Strain decoupling across the décollement of the Barbados accretionary prism: *Geology*, v. 24, p. 127-120.
71. Bangs, N.L., Shipley, T.H., and **Moore, G.F.**, 1996, Elevated fluid pressure and fault zone dilation inferred from seismic models of the northern Barbados Ridge décollement: *Jour. Geophys. Res.*, v. 101, p. 627-642.
70. *Tobin, H.J., Moore, J.C., and **Moore, G.F.**, 1995, Laboratory measurements of velocity vs. effective stress in thrust faults of the Oregon accretionary prism: *Proc. ODP, Sci. Results*, v. 146, p. 349-358.
69. **Moore, G.F.**, Dellinger, J., MacKay, M.E., and Hoskins, H., 1995, Seismic velocities at Site 891 from a Vertical Seismic Profile experiment: *Proc. ODP, Sci. Results*, v. 146, p. 337-348.
68. Labaume, P., and others, including **Moore, G.F.**, 1995, Pore-water flow and overpressure in the northern Barbados accretionary prism – results of ODP Leg 156: *Comptes Rendus De L Academie Des Sciences, Serie Ii*, v. 320, p. 977-984.
67. **Moore, G.F.**, and Sender, K.L, 1995, Fracture zone collision along the south Panama margin: in Mann, P., ed., *Geol. Soc. Amer. Special Paper 295*, p. 201-212.
66. Underwood, M., and **Moore, G.F.**, 1995, Trenches and Trench-slope basins: in: Busby, C., and Ingersoll, R., *Tectonics of Sedimentary Basins*, Springer-Verlag, p. 179-219.
65. *MacKay, M.E., **Moore, G.F.**, Klaeschen, D., and von Huene, R., 1995, The case against porosity change: seismic velocity decrease at the toe of the Oregon accretionary prism: *Geology*, v. 23, p. 827-830.
64. Moore, J.C., **Moore, G.F.**, Cochrane, G.R., and Tobin, H.J., 1995, Negative-polarity seismic reflections along faults of the Oregon accretionary prism: Indicators of overpressuring: *J. Geophys. Res.*, v. 100, p. 12895-12906.
63. **Moore, G.F.**, Zhao, Z., Shipley, T.H., Bangs, N., and Moore, J.C., 1995, Structural setting of the Leg 156 area, northern Barbados Ridge accretionary prism: *Proc. ODP, Init. Rpts.*, v. 156, p. 13-27.
62. Moore, J.C., and others, including **Moore, G.F.**, 1995, Abnormal fluid pressures and fault-zone dilation in the Barbados accretionary prism – evidence from logging while drilling: *Geology*, v. 23, p. 605-608.

61. *Cochrane, G.R., MacKay, M.E., **Moore, G.F.**, and Moore, J.C., 1994, Consolidation and deformation of sediments at the toe of the central Oregon accretionary prism from multichannel seismic data: *Proc. ODP, Init. Rpts.*, v. 146, p. 421-426.
60. *Cochrane, G.R., Moore, J.C., MacKay, M.E., and **Moore, G.F.**, 1994, Velocity and inferred porosity model of the Oregon accretionary prism from multichannel seismic reflection data: Implications on sediment dewatering and overpressure: *J. Geophys. Res.*, v. 99, p. 7033-7043.
59. Shipley, T.H., **Moore, G.F.**, Bangs, N.L., Moore, J.C., and Stoffa, P.L., 1994, Seismically interred dilatancy distribution, northern Barbados Ridge décollement: Implications for fluid migration and fault strength: *Geology*, v. 22, p. 411-414.
58. *Tobin, H.J., Moore, J.C., and **Moore, G.F.**, 1994, Fluid pressure in the frontal thrust of the Oregon accretionary prism: Experimental constraints: *Geology*, v. 22, p. 979-982.
57. **Moore, G.F.**, and Shipley, T.H., 1993, Character of the décollement in the ODP Leg 131 area, Nankai Trough: *Proc. ODP, Sci. Results*, v. 131, p. 73-82.
56. **Moore, G.F.**, 1993, VSP data, Hole 808E, Nankai Trough: *Proc. ODP, Sci. Results*, v. 131, p. 417-422.
55. Hyndman, R.D., **Moore, G.F.**, and Moran, K., 1993, Velocity, porosity and pore fluid loss from the Nankai subduction zone accretionary prism: *Proc. ODP, Sci. Res.*, v. 131, p. 211-220.
54. Moran, K., and others, including **Moore, G.F.**, 1993, In-situ stress conditions in the Nankai Trough, Site 808, *Proc. ODP Sci. Results*, v. 131, p. 283-291.
53. Moore, J.C., Taira, A., and **Moore, G.**, 1992, Ocean Drilling and accretionary processes: *Geology Today*, v. 1, no. 12, p. 265-270.
52. *Goldfinger, C., Kulm, L.D., Yeats, R.S., Appelgate, B., MacKay, M.E., and **Moore, G.F.**, 1992, Transverse structural trends along the Oregon convergent margin: implications for Cascadia earthquake potential and crustal rotations: *Geology*, v. 20., p. 141-144.
51. Stoffa, P.L., Wood, W.T., Shipley, T.H., **Moore, G.F.**, Nishiyama, E., Botelho, M.A.B., Taira, A., and Suyehiro, K., 1992, High resolution expanding spread and split-spread marine seismic profiles: Acquisition and velocity analysis methods: *J. Geophys. Res.*, v. 97, p. 1687-1713.
50. *MacKay, M.E., **Moore, G.F.**, Cochrane, G.R., Moore, J.C., and Kulm, L.D., 1992, Landward vergence and oblique structural trends in the Oregon margin accretionary prism: implications and effect on fluid flow: *Earth & Planet. Sci. Lett.*, v. 109, p. 477-491.
49. Marlow, M.S., Geist, E.L., Hobart, M.A., **Moore, G.F.**, and Taylor, B., 1992, Comparison of multi-channel seismic reflection data to a synthetic seismogram and lithology of Site 786: *Proc. ODP, Sci. Results*, v. 125, p. 585-589.
48. *Matson, R., and **Moore, G.F.**, 1992, Structural controls on forearc basin subsidence in the central Sumatra forearc basin: *in: Geology and Geophysics of Continental Margins*, Am. Assoc. Petrol. Geol. Memoir 53, p. 157-181.

47. *Klaus, A., Taylor, B., **Moore, G.F.**, Murakami, F., and Okamura, Y., 1992, Back-arc rifting in the Izu- Bonin Island Arc: structural evolution of Hachijo and Aoga Shima rifts: *The Island Arc*, v. 1, p. 16-31.
46. *Klaus, A., Taylor, B., **Moore, G.F.**, MacKay, M.E., Brown, G.R., Okamura, Y., and Murakami, F., 1992, Structural and stratigraphic evolution of the Sumisu Rift, Izu-Bonin Arc: *Proc. ODP, Sci. Results*, v. 126, p. 555-573.
45. Taira, A., Hill, I., and others, including **Moore, G.F.**, 1992, Sediment deformation and hydrogeology of the Nankai Trough accretionary prism: Synthesis of shipboard results of ODP Leg 131: *Earth Planet. Sci. Lett.*, v. 109, p. 431-450.
44. Hyndman, R., and others, including **Moore, G.F.**, 1992, Deep-sea bottom-simulating reflectors – calibration of the base of the hydrate stability field as used for heat-flow estimates: *Earth Planet. Sci. Lett.*, v. 109, p. 289-301.
43. Yamano, M. and others, including **Moore, G.F.**, 1992, Heat flow and fluid flow regime in the western Nankai accretionary prism, *Earth Planet. Sci. Lett.*, v. 109, p. 451-462.
42. Taylor, B., Klaus, A., Brown, G.R., **Moore, G.F.**, Okamura, Y., and Murakami, F., 1991, Structural development of the Sumisu Rift, Izu-Bonin arc: *J. Geophys. Res.*, v. 96, p. 16113-16129.
41. Moore, J.C., Brown, K.M., Horath, F., Cochrane, G., MacKay, M., and **Moore, G.**, 1991, Plumbing accretionary prisms: effects of permeability variations: *Phil. Trans. R. Soc. London*, Ser. A, v. 335, p. 275-288.
40. **Moore, G.F.**, Karig, D.E., Shipley, T.H., Taira, A., Stoffa, P.L., and Wood, W.T., 1991, Structural framework of the ODP Leg 131 area, Nankai Trough, *Proc. ODP, Initial Repts.*, v. 131, 15-20.
39. **Moore, G.F.**, Shipley, T.H., Stoffa, P.L., Karig, D.E., Taira, A., Kuramoto, S., Tokuyama, H., and Suyehiro, K., 1990, Structure of the Nankai Trough accretionary zone from multichannel seismic reflection data: *J. Geophys. Res.*, v. 95, p. 8753-8765.
38. *Horine, R., **Moore, G.F.**, and Taylor, B., 1990, Structure of the outer Izu-Bonin forearc from reflection seismic profiling and gravity modeling: *Proc. ODP, Init. Repts.*, v. 125, p. 81-94.
37. *MacKay, M., and **Moore, G.F.**, 1990, Variation in deformation of the South Panama accretionary prism: Response to oblique subduction and trench sediment variation: *Tectonics*, v. 9, p. 683-698.
36. Fryer, P., Saboda, K.L., Johnson, L.E., MacKay, M.E., **Moore, G.F.**, and Stoffers, P., 1990, Conical seamount, SeaMARC II, ALVIN submersible, and seismic-reflection studies: *Proc. ODP, Init. Repts.*, v. 125, p. 69-80.
35. Taylor, B., **Moore, G.**, Klaus, A., Systrom, M., Cooper, P., and MacKay, M., 1990, Multichannel seismic survey of the central Izu-Bonin arc: *Proc. ODP, Init. Repts.*, v. 126, p. 51-60.

***** *Initial U.H. appointment 12/1988* *****

34. **Moore, G.F.**, and Shipley, T.H., 1988, Behaviour of the décollement in the Middle America Trench: *Geologische Rundschau*, v. 77, p. 275-284.
33. **Moore, G.F.**, and Shipley, T.H., 1988, Mechanisms of accretion in the Middle America Trench off Mexico: *J. Geophys. Res.*, v. 93, p. 8911-8927.
32. **Moore, G.F.**, and Taylor, B., 1988, Structure of the Peru Trench slope from multichannel seismic reflection data: *Proc. ODP, Init. Repts.*, v. 112, p. 71-76.
31. *Ballesteros, M., **Moore, G.F.**, Taylor, B., and Ruppert, S., 1988, Seismic-stratigraphic framework of the Lima and Yaquina forearc basins, Peru: *Proc. ODP, Init. Repts.*, v. 112, p. 77-90.
30. Slatt, R.M., Robinson, J.C., Lighty, K.A., and **Moore, G.F.**, 1987, Seismic reflection character analysis of stratigraphic traps in Cretaceous Cardium Formation, Alberta, Canada: *Am. Assoc. Petrol. Geol. Bull.*, v. 71, p. 298-307.
29. Shipley, T.H., and **Moore, G.F.**, 1986, Sediment accretion, subduction, and dewatering at the base of the trench slope off Costa Rica: A seismic reflection view of the décollement: *J. Geophys. Res.*, v. 91, p. 2019-2028.
28. **Moore, G.F.**, Shipley, T.H., and Lonsdale, P.F., 1986, Subduction erosion versus sediment off- scraping at the toe of the Middle America Trench off Guatemala: *Tectonics*, v. 5, p. 513-523.
27. *Beaudry, D., and **Moore, G.F.**, 1985, Seismic stratigraphy and Cenozoic evolution of west Sumatra forearc basin: *Am. Assoc. Petrol. Geol. Bull.*, v. 69, p. 742-759.
26. Hawkins, J.W., **Moore, G.F.**, Villamor, R., Evans, C., and Wright E., 1985, Geology of the composite terranes of east and central Mindanao: *Am. Assoc. Petrol. Geol. Circum-Pacific Council for Energy and Mineral Resources, Earth Sci. Series*, No. 1, p. 437-463.
25. *Stevens, S.H., and **Moore, G.F.**, 1985, Sedimentary and deformational processes in trench slope basins of the western Sunda Arc, Indonesia: *Marine Geology*, v. 69, p. 93-112.
24. Shipley, T.H., and **Moore, G.F.**, 1985, Sediment accretion and subduction in the Middle America Trench: Formation of Active Ocean Margins, N. Nasu, et al., eds., p. 221-255.
23. *Volpe, A.M., Shipley, T.H., and **Moore, G.F.**, 1984, A high resolution geophysical study of DSDP Leg 84 Site 570: *Init. Rpts. of Deep Sea Drilling Project*, v. 84, p. 851-860.
22. **Moore, G.F.**, and Silver, E.A., 1983, Collision processes in the northern Molucca Sea: in: Hayes, D.E., ed., *Amer. Geophys. Union Monograph* 27, p. 360-372.
21. *Evans, C.A., Hawkins, J.W., and **Moore, G.F.**, 1983, Petrology and geochemistry of ophiolitic and associated volcanic rocks on the Talaud Islands, Molucca Sea collision zone, N.E. Indonesia: in: Hilde, T. and Uyeda, S., eds., *Amer. Geophys. Union and Geol. Soc. Amer. Geodynamics Series*, v. 11, p. 159-172.
20. **Moore, G.F.**, Curray, J.R., and Emmel, F.J., 1982, Sedimentation in the Sunda Trench and forearc region: *Geol. Soc. London Spec. Publ.* 10, p. 245-258.

19. **Moore, G.F.**, Lonsdale, P.F., and von Huene, R., 1982, Near-bottom observations of the Middle America Trench off Guatemala: *Init. Rpts. of Deep Sea Drilling Project*, v. 67, p. 707-718.
18. *Beaudry, D., and **Moore, G.F.**, 1981, Seismic-stratigraphic framework of the forearc basin, central Sumatra: *Earth & Planet. Sci. Lett.*, v. 54, p. 17-28.
17. *Kieckhefer, R.M., **Moore, G.F.**, Emmel, F.J., and Sugiarta, W., 1981, Deep structure of the Sunda forearc region west of central Sumatra from gravity data: *J. Geophys. Res.*, v. 86, p. 7003-7012.
16. **Moore, G.F.**, Kadarisman, D., Evans, C.A., and Hawkins, J.W., 1981, Geology of the Talaud Islands, Molucca Sea collision zone: *J. Structural Geol.*, v. 3, p. 467-475.
15. **Moore, G.F.**, and Karig, D.E., 1980, Structural geology of Nias Island, Indonesia: implications for subduction zone tectonics: *Amer. J. Sci.*, v. 280, p. 193-223.
14. **Moore, G.F.**, Billman, H.G., Hehanussa, P.E., and Karig, D.E., 1980, Sedimentology and paleo- bathymetry of Neogene trench-slope deposits, Nias Island, Indonesia: *J. Geol.*, v. 88, p. 161-180.
13. Karig, D.E., Lawrence, M.B., **Moore, G.F.**, and Curray, J.R., 1980, Structural framework of the forearc basin, N.W. Sumatra: *J. Geol. Soc. London*, v. 137, p. 77-91.
12. **Moore, G.F.**, and Curray, J.R., 1980, Structure of the Sunda Trench lower slope west of Sumatra from multichannel seismic reflection data: *Marine Geophys. Res.*, v. 4, p. 319-340.
11. Karig, D.E., **Moore, G.F.**, Curray, J.R., and Lawrence, M.B., 1980, Morphology and shallow structure of the trench slope off Nias Island, Sunda Arc: in: Hayes, D.E., ed., *Amer. Geophys. Union Geophys. Monograph 23*, p. 179-208.
10. **Moore, G.F.**, Curray, J.R., Moore, D.G., and Karig, D.E., 1980, Variations in deformation along the Sunda forearc, northeast Indian Ocean: in: Hayes, D.E., ed., *Amer. Geophys. Union Geophys. Monograph 23*, p. 145-160.
9. **Moore, G.F.**, Kadarisman, D., and Sukamto, R., 1980, New data on the geology of the Talaud Islands, Molucca Sea: *Bull. Geol. Res. and Dev. Centre (Bandung, Indonesia)*, v. 3, p. 5-12.
8. Karig, D.E., Suparka S., **Moore, G.F.**, and Hehanussa, P.E., 1979, Structure and Cenozoic evolution of the Sunda Arc in the central Sumatra Region: *Am. Assoc. Petrol. Geol. Memoir 29*, p. 223-237.
7. **Moore, G.F.**, 1979, Petrography of subduction zone sandstones from Nias Island: *J. Sedimentary Petrology*, v. 49, p. 71-84.
6. Karig, D.E., Cardwell, R.K., **Moore, G.F.**, and Moore, D.G., 1978, Late Cenozoic subduction and continental margin truncation along the northern Middle America Trench: *Geol. Soc. Amer. Bull.*, v. 89, p. 265-276.
5. Cardwell, R.K., Chinn, D.S., **Moore, G.F.**, and Turcotte, D.L., 1978, Frictional heating on a fault zone with finite thickness: *Geophys. J. Royal Astron. Soc.*, v. 52, p. 525-530.

4. Anderson, R.N., **Moore, G.F.**, Schilt, F.S., Cardwell, R.K., Trehu, A., and Vacquier, V., 1976, Heat flow near a fossil ridge on the north flank of the Galapagos Spreading Center: *J. Geophys. Res.*, v. 81, p. 1828-1838.
3. **Moore, G.F.**, and Karig, D.E., 1976, Development of sedimentary basins on the lower trench slope: *Geology*, v. 4, p. 693-697.
2. Karig, D.E., and **Moore, G.F.**, 1975, Tectonic complexities in the Bonin Arc System: *Tectonophysics*, v. 27, p. 97-118.
1. Karig, D.E., and **Moore, G.F.**, 1975, Tectonically controlled sedimentation in marginal basins: *Earth & Planet. Sci. Lett.*, v. 26, p. 233-238.

Edited Volumes

3. Strasser, M., Dugan, B., Kanagawa, K., **Moore, G.F.**, Toczko, S., Maeda, L., and the Expedition 338 Scientists, NanTroSEIZE Stage 3:NanTroSEIZE Plate Boundary Deep Riser 2, *Proc. IODP*, 338: Yokohama (Integrated Ocean Drilling Program). [doi:10.2204/iodp.proc.338.2014](https://doi.org/10.2204/iodp.proc.338.2014)
2. Mikada, H., **Moore, G.F.**, Taira, A., Becker, K., Moore, J.C., and Klaus, A. (Eds.), 2004, *Proc. ODP, Sci. Results*, 190/196 [Online]. Available from World Wide Web: <http://www-odp.tamu.edu/publications/190196SR/190196sr.htm>.
1. **Moore, G.F.**, Taira, A., Klaus, A., et al., 2001, *Proc. ODP, Init. Repts.*, v. 190, College Station, TX.

Papers in Proceedings Volumes

3. **Moore, G.F.**, Sawyer, D.S., Sanada, Y., and IODP Expedition 314 Sci. Party, 2008, Real-time depth updating of seismic reflection data during drilling using seismicVISION: *Proc. 12th Int. Symposium on Recent Advances in Exploration Geophysics: Kyoto Univ.*, p. 21-24.
2. **Moore, G.F.**, and Morgan, J.K., 1999, Variations in structure along the Nankai Trough: Seismic reflection images and plans for future experiments: *in: Proceedings of the International Workshop on Recurrence of Great Interplate Earthquakes and Its Mechanism*, Science and Technology Agency, Tokyo, Japan, p. 107-113.
1. Shipley, T.H., Bangs, N.L., and **Moore, G.F.**, 1999, Shallow aseismic portion of the Barbados Plate Boundary: *in: Proceedings of the International Workshop on Recurrence of Great Interplate Earthquakes and Its Mechanism*, Science and Technology Agency, Tokyo, Japan, p. 91-96.

Non-Peer Reviewed Publications

7. Boston, B., Howell, S., **Moore, G.**, 2014, A miniature research vessel: A small-scale ocean-exploration demonstration of geophysical methods: *The Leading Edge* 33 (12), 1408-1409.
6. **Moore, G.F.**, 2009, Review of 3-D Seismic Interpretation by M. Bacon, R. Simm and T. Redshaw: *EOS* v. 90, p. 161.
5. Shipley, T., and **Moore, G.F.**, 2000, NSF considers recommendations for marine seismic reflection: *EOS*, v. 81, p. 373.

4. **Moore, G.F.**, and Shipley, T.H., 1987, Marine sediments: *1987 McGraw-Hill Yearbook of Science and Technology*, p. 289-290.
3. **Moore, G.F.**, 1986, Review of F. Burkhardt and S. Smith (Eds.), The correspondence of Charles Darwin, V. 1, 1821-1836 *Geology*: v. 14, p. 815
2. **Moore, G.F.**, 1986, Review of B. Haq and J. Milliman, Marine Geology and Oceanography of Arabian Sea and Coastal Pakistan *Geology*: v. 14, p. 638
1. **Moore, G.F.**, 1984, Review of F. Bender, Geology of Burma: *Geology*, v. 12, p. 128

Workshop Reports

Seismogenic Zone (SEIZE) Workshop, June, 1997:

www.soest.hawaii.edu/moore/seize/report.html.

U.S. Marine Seismic Reflection Needs for the Next Decade, October, 1999, (T. Shipley and G. Moore, co-conveners): Bethesda, MD, GeoProse, 48 p.

Workshop Explores Seismogenic Zone Drilling in the Nankai Trough, *EOS*, v. 82, p. 532 (A. Taira, G. Moore, H. Tobin, G. Kimura, S. Kodaira).

Mutter, J., and Moore, G., 2005, Opportunities for 3-D seismic reflection in Geoscience research, *EOS*, v. 86, No. 49, p. 509, 513-514.

Moore, G.F., and Mutter, J.C., 3-D seismic reflection imaging workshop 2005 – Opportunities for IODP site survey collaboration: *Scientific Drilling*, v.1, p. 54-55.