

**PUBLICATIONS – BRIAN NICHOLAS POPP**  
**(Google Scholar Citations as of August 2020 in parentheses; total citations 13,125; current h-index = 65)**

(Select reprints are available as PDF documents at <http://www.soest.hawaii.edu/GG/FACULTY/POPP/bpopp-publ.html>)

Last updated: 31 October 2020

1. Doherty S.C, Maas A.E, Steinberg D.K., Popp B.N., and Close H.G. (2020) Distinguishing zooplankton fecal pellets as a component of the biological pump using compound-specific isotope analysis of amino acids. *Limnology and Oceanography* (submitted 09/03/2020).
2. Wall C.B, Wallsgrove N.J., Gates R.D., and Popp B.N. (2020) Amino acid  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  analyses reveal distinct species-specific patterns of trophic plasticity in a marine symbiosis. *Limnology and Oceanography* (submitted 08/11/2020).
3. Seminoff J.A., Komoroske L.M., Amorocho D., Dutton P.H., Donoso M., Heidemeyer M., Hoeffer G., Jones T.T., Kelez S., Lemons G.E., de Paz N., Rguez-Baron J.M., Sampson L., Santos Baca L., Vejar Rubio M., Zárate P., Zavala-Norzagaray A., and Popp B.N. (2020) Large-scale patterns in the trophic ecology of green turtles in the eastern Pacific: Insights from bulk tissue and compound specific stable isotope analysis. *Ecosphere* (in press 10/05/2020).
4. Blum J.D., Drazen J.C., Johnson M.W., Popp B.N., Motta L.C., and Jamieson A.J. (2020) Mercury isotopes identify near-surface mercury in deep sea trench biota. *Proceeding of the National Academy of Sciences* (in press 10/15/2020).
5. Dores D. Glenn C.R., Torri G., Whittier R.B. and Popp B.N. (2020) Implications for groundwater recharge from stable isotopic composition of precipitation in Hawai‘i during the 2017-2018 La Niña. *Hydrological Processes* (in press 09/08/2020).
6. Gelippi M., Popp B.N., Gauger M.F.W. and Caraveo-Patino J. (2020) Tracing gestation and lactation in free ranging gray whales using the stable isotopic composition of epidermis layers. *PLoS ONE* 15(10): e0240171, <https://doi.org/10.1371/journal.pone.0240171>.
7. Lemons G., Lewison R., Coppenrath C., Seminoff J. and Popp B.N. (2020) Nitrogen isotope fractionation of amino acids in a highly migratory marine ectotherm, the green turtle (*Chelonia mydas*). *Marine Biology* 167:149, <https://doi.org/10.1007/s00227-020-03745-3>.
8. Shih J.L and Popp B.N (2020) Assessment of an invasive tropical sponge on coral reefs in Hawaii. *Pacific Science* 74(2):175-187, doi:10.2984/74.2.7.
9. Tokuda A.K., Drazen J.C., Gerringer M.E., Popp B.N., Grammatopoulou E. and Mayor D.J. (2020) Trophic interactions of megafauna in the Mariana and Kermadec trenches inferred from stable isotope analysis. *Deep Sea Research I* 164:103360, <https://doi.org/10.1016/j.dsr.2020.103360>.
10. Romero-Romero S., Ka’apu-Lyons C.A., Umhau B.P. Benitez-Nelson C.R., Hannides C.C.S, Close H.G., Drazen J.C. and Popp B.N. (2020) Deep zooplankton rely on small particles in response to low particle flux. *Limnology and Oceanography Letters* doi: 10.1002/lol2.10163.

11. Motta L.C., Blum J.D., Popp B.N., Drazen J.C., and Close H.G. (2020) Mercury stable isotopes in flying fish as a monitor of phytochemical degradation of methylmercury in the Atlantic and Pacific Oceans. *Marine Chemistry* 223:103790, <https://doi.org/10.1016/j.marchem.2020.103790>.
12. Fackrell J., Glenn C., Thomas D., Whittier R. and Popp B.N. (2020) Stable isotopes of precipitation and groundwater provide new insight into groundwater recharge and flow in a structurally complex hydrogeologic system; West Hawaii, USA. *Hydrology Journal* 28:1191-1207, doi/10.1007/s10040-020-02143-9.
13. Hannides C.C.S., Popp B.N., Close H.G, Benitez-Nelson C.R., Ka'apu-Lyons C.A., Gloeckler K., Wallsgrove N., Uhau B., Palmer E., and Drazen J.C., (2020) Seasonal dynamics of midwater zooplankton and relation to particle cycling in the North Pacific Subtropical Gyre. *Progress in Oceanography* 182:102266, <https://doi.org/10.1016/j.pocean.2020.102266>. (4)
14. Wall C.B., Kaluhiokalani M., Popp B.N., Donahue M. and Gates R.D. (2020) Divergent symbiont communities determine the physiology and isotope values of a reef coral across a light-availability gradient. *The ISME Journal* <https://doi.org/10.1038/s41396-019-0570-1>. (2)
15. Shih J.L., Selph K.E., Wall C.B., Wallsgrove N.J., Lesser M.P and Popp B.N. (2020) Trophic ecology of the tropical Pacific sponge *Mycale grandis* inferred from amino acid compound specific isotopic analyses. *Microbial Ecology* 79:495-510, <https://doi.org/10.1007/s00248-019-01410-x>. (2)
16. Umhau B.P., Benitez-Nelson C.R., Close H.G., Hannides C.C.S, Motta L., Popp B.N., Blum J.D. and Drazen J.C. (2019) Seasonal and spatial changes in carbon and nitrogen fluxes estimated using  $^{234}\text{Th}$ : $^{238}\text{U}$  disequilibria in the North Pacific Subtropical Gyre. *Marine Chemistry* 217:103705 <https://doi.org/10.1016/j.marchem.2019.103705>. (3)
17. Motta L.C., Blum J.D., Johnson M.W., Umhau B.P., Popp B.N., Washburn S.J., Drazen J.C., Benitez-Nelson C.R., Hannides C.C.S, Close H.G., and Lamborg C.H. (2019) Mercury cycling in the North Pacific subtropical gyre as revealed by mercury stable isotope ratios. *Global Biogeochemical Cycles* 33:777-794. <https://doi.org/10.1029/2018GB006057>. (9)
18. Wall C.B., Ritson-Williams R., Popp B.N., and Gates R.D. (2019) Spatial variation in the biochemical and isotopic composition of corals during bleaching and recovery. *Limnology and Oceanography* 64:2011-2018, doi: 10.1002/lno.11166. (16)
19. Hetherington E.D., Kurle C.M., Ohman M.D., and Popp B.N. (2019) Effects of chemical preservation on bulk and amino acid isotope values of zooplankton, fish and squid tissues. *Rapid Communications in Mass Spectrometry* 33:935-945, doi: 10.1002/rem.8408. (7)
20. Romero-Romero S., Choy C.A., Hannides C.C.S., Popp B.N., and Drazen J.C. (2019) Differences in the trophic ecology of microneuston driven by diel vertical migration. *Limnology and Oceanography* 64:1473-1483, doi: 10.1002/lno.11128. (8)
21. Damashek J., Tolar B.B., Liu Q., Okotie-Oyekan A., Wallsgrove N.J., Popp B.N., and Hollibaugh J.T. (2019) Microbial oxidation of nitrogen supplied as ammonium, urea, (2)

- polyamines, and selected amino acids in the South Atlantic Bight. *Limnology and Oceanography* 64:982-995, doi: 10.1002/lno11089. (6)
22. Hetherington E.D., Seminoff J., Dutton P., Robison L., Popp B.N., and Kurle C. (2018) Long-term trends in the foraging ecology and habitat use of an endangered species: an isotopic perspective. *Oecologia* 188:1273-1285, <https://doi.org/10.1007/s00442-018-4279-z>. (3)
  23. Wongkiew S., Popp B.N., and Khanal S.K. (2018) Nitrogen recovery and nitrous oxide ( $N_2O$ ) emissions from aquaponics systems: Influence of plant species and dissolved oxygen. *International Journal of Biodegradation and Biodegradation* 134:117-126, <https://doi.org/10.1016/j.ibiod.2018.08.008>. (3)
  24. Vane K., Wallsgrove N.J., Ekau W., and Popp B.N. (2018) Reconstructing lifetime nitrogen baselines and trophic position of *Cynoscion acoupa* from  $\delta^{15}N$  values of amino acids in otoliths. *Marine Ecology Progress Series* 597:1-11, <https://doi.org/10.3354/meps12625>. (7)
  25. Gómez C., Larsen T., Popp B.N., Hobson K.A., and Cadena K.D. (2018) Assessing seasonal changes in animal diets with stable-isotope analysis of amino acids: a migratory boreal songbird switches diet over its annual cycle. *Oecologia* 187:1-13, <https://doi.org/10.1007/s00442-018-4113-7>. (10)
  26. Dolgova S., Popp B.N., Espie R., Straka J., Wilkie S., and Hebert C. (2018) Spatial trends in biomagnifying contaminants: Insights from the application of amino acid compound specific stable nitrogen isotope analysis. *Environmental Toxicology and Chemistry* 37:1466-1475, doi: 10.1002/etc.4113. (17)
  27. Hebert C., and Popp B.N. (2018) Temporal trends in a biomagnifying contaminant: Application of amino acid compound-specific stable nitrogen isotope analysis to the interpretation of bird mercury levels. *Environmental Toxicology and Chemistry* 37:1458-1465, doi: 10.1002/etc.4092. (11)
  28. Liu Q., Tolar B.B., Ross M.J., Cheek J.B., Sweeney C.M., Wallsgrove N.J., Popp B.N., and Hollibaugh J.T. (2018) Light and temperature control the seasonal distribution of thaumarchaeota in the South Atlantic bight. *The ISME Journal* <https://doi.org/10.1038/s41396-018-0066-4>. (3)
  29. Sackett D.K., Drazen J.C., Popp B.N., Choy C.A., Blum J.D., and Johnson M.W. (2018) Carbon, nitrogen and mercury isotope evidence for the biogeochemical history of mercury in bottom fish. *Environmental Science & Technology* 51:13976-13984, doi: 10.1021/acs.est.7b04893. (10)
  30. Gloeckler K., Choy C.A., Hannides C.C.S, Close H.G., Goetze E., Popp B.N., and Drazen J.C. (2018) Stable isotope analysis of microneuston around Hawaii reveals suspended particles are an important nutritional source in the lower mesopelagic and upper bathypelagic zones. *Limnology and Oceanography* 63:1168-1180, doi: 10.1002/lno.10762. (17)
  31. Tolar B.B., Wallsgrove N.J. Popp B.N., and Hollibaugh J.T. (2017) Oxidation of urea-derived nitrogen by thaumarchaeota-dominated marine nitrifying communities. *Environmental Microbiology* 19:4838-4850 doi: 10.1111/1462-2920.13457. (30)

32. Gerringer M.E., Andrews A.H., Huss G.R., Nagashima K., Popp B.N., Gallo N.D., Clark M.R., Linley T.D., Jamieson A.J., and Drazen J.C. (2017) Life history of abyssal and hadal fishes from otolith growth zones and oxygen isotopic compositions. *Deep-Sea Research Part I* 132:37-50 <https://doi.org/10.1016/j.dsr.2017.12.002>. (4)
33. Fehren-Schmitz L., Jarman C.L., Harkins K.M., Kayser M., Popp B.N., and Skoglund P. (2017) Genetic ancestry of Rapanui before and after European contact. *Current Biology* 27:1-7 <http://dx.doi.org/10.1016/j.cub.2017.09.029>. (12)
34. Peavey L.E., Popp B.N., Pitman R.L., Gaines S.D., Arthur K.E., Kelez S., and Seminoff J.A. (2017) Opportunism on the high seas: foraging ecology of olive ridley turtles in the eastern Pacific Ocean. *Frontiers in Marine Science* 4:348 doi: 10.3389/fmars.2017.00348. (8)
35. Ohkouchi N., Chikaraishi Y., Close H., Fry B., Larsen T., Madigan D.J., McCarthy M.D., McMahon K.W., Nagata T., Naito Y.I., Ogawa N.O., Popp B.N., Steffan S., Takano Y., Tayasu I., Wyatt A.S.J., Yamaguchi Y.T., and Yokoyama Y. (2017) Advances in the application of amino acid nitrogen isotopic analysis in ecological and biogeochemical studies. *Organic Geochemistry* 113:150-174. <http://dx.doi.org/10.1016/j.orggeochem.2017.07.009>. (93)
36. Richardson C.M., Dulai H., Popp B.N., Ruttenberg K., and Fackrell J.K. (2017) Submarine groundwater discharge drives biogeochemistry in two Hawaiian reefs. *Limnology and Oceanography* 62:S348-S363, doi: 10.1002/lno.10654. (18)
37. Rowe J.A., Litton C.M., Lepczyk C.A., and Popp B.N. (2017) Impacts of endangered seabirds on nutrient cycling in montane forest ecosystems of Hawaii. *Pacific Science* 71:495-509, doi:10.2984/71.4.7. (5)
38. Wongkiew S., Popp B.N., Kim H-J., and Khanal S.K. (2017) Fate of nitrogen in floating-raft aquaponic systems using natural abundance nitrogen isotopic compositions. *International Journal of Biodegradation and Biodegradation* 125:24-32, <https://doi.org/10.1016/j.ibiod.2017.08.006>. (22)
39. Jarman C.L., Larsen T., Hunt T., Lipo C., Solsvik R., Walls Grove N.J., Ka'apu-Lyons C., Close H.G., and Popp B.N. (2017) Diet of the prehistoric population of Rapa Nui (Easter Island, Chile) shows environmental adaptation and resilience. *American Journal of Physical Anthropology* 164:343-361, <https://doi.org/10.1002/ajpa.23273>. (34)
40. Gerringer M.E., Popp B.N., Linley T.D., Jamieson A.J., and Drazen J.C. (2017) Comparative feeding ecology of abyssal and hadal fishes through stomach content and amino acid isotope analysis. *Deep-Sea Research Part I* 121:110-120, doi: 10.1016/j.dsr.2017.01.003. (21)
41. Hetherington E.D., Olson R.J., Drazen J.C., Lennert-Cody C.E., Balance L.T., Kaufmann R.S., and Popp B.N. (2017) Spatial variability in food web structure in the eastern tropical Pacific using compound-specific nitrogen isotope analysis of amino acids. *Limnology and Oceanography* 62:541-560, doi: 10.1002/lno.10443. (24)
42. Tolar B.B., Powers L.C., Miller W.L. Walls Grove N.J., Popp B.N., and Hollibaugh J.T. (2016) Ammonia oxidation in the ocean can be inhibited by nanomolar concentrations of hydrogen peroxide. *Frontiers in Marine Science* 3:1-16, Article 237, doi: 10.3389/fmars.2016.00237. (33)

43. Hebert C.E., Popp B.N., Fernie K.J., Ka'apu-Lyons C., Rattner B.A., and Wallsgrove N. (2016) Amino acid-specific stable nitrogen isotope values in avian tissues: Insights from captive American kestrels and wild herring gulls. *Environmental Science & Technology* 50:12928-12937, doi: 10.1021/acs.est.6b04407. (19)
44. Fackrell J.K., Glenn C.R., Popp B.N., Whittier R.B., and Dulai H. (2016) Wastewater injection, aquifer biogeochemical reactions, and resultant groundwater N fluxes to coastal waters: Ka'anapali, Maui, Hawai'i. *Marine Pollution Bulletin* 110:218-292, <http://dx.doi.org/10.1016/j.marpolbul.2016.06.050> (16)
45. Pyle R.L., Boland R., Bolick H., Bowen B., Bradley C.J., Kane C., Kosaki R.K., Langston R., Longenecker K., Montgomery A.D., Parrish F.A., Popp B.N., Rooney J. Smith C.M., Wagner D., and Spalding H.L. (2016) A comprehensive investigation of mesophotic coral ecosystems in the Hawaiian Archipelago. *PeerJ* 4:e2475; DOI 10.7717/peerj.2475. (71)
46. Bradley C.J., Longenecker K., Pyle R.L., and Popp B.N. (2016) Compound specific isotopic analysis of amino acids reveals dietary changes in mesophotic coral-reef fish. *Marine Ecology Progress Series* 558:65-79, doi: 10.3354/meps11872. (13)
47. Madigan D.J., Chiang W-C., Wallsgrove N.J., Popp B.N., Kitagawa T., Choy C.A., Tallmon J., Ahmed N., Fisher N.S., and Sun C. (2016) Intrinsic tracers reveal recent foraging ecology of giant Pacific bluefin tuna at their primary spawning grounds. *Marine Ecology Progress Series* 553:253-266, doi: 10.3354/meps11782. (21)
48. Tolar B.B., Ross M.J., Wallsgrove N.J., Liu Q., Aluwihare L.I., Popp B.N., and Hollibaugh J.T. (2016) Contribution of ammonia oxidation to chemoautotrophy in Antarctic coastal waters. *The ISME Journal* 10:1-15, doi: 10.1038/ismej.2016.61, online 17 May 2016. (41)
49. Kwon S.Y., Blum J.D., Madigan D. Block B., and Popp B.N. (2016) Quantifying mercury isotope dynamics in captive Pacific bluefin tuna (*Thunnus orientalis*). *Elementa: Science of the Anthropocene* 4:000088 doi: 10.12952/journal.elementa.000088. (19)
50. Puigcorbé V., Benítez-Nelson C.R., Masqué P., Verdeny E., White A.E., Popp B.N., Prahl F.G., and Lam P.J. (2015) Small phytoplankton drive high summertime carbon and nutrient export in the Gulf of California and Eastern Tropical North Pacific. *Global Biogeochemical Cycles* 29:1309-1332, doi: 10.1002/2015GB005134. (41)
51. Bradley C.J., Wallsgrove N.J., Choy C.A., Drazen J.C., Hoen D.K., Hetherington E.D., and Popp B.N. (2015) Trophic position estimates of teleosts using amino acid compound specific isotopic analysis. *Limnology and Oceanography - Methods* 13:476-493 doi: 10.1002/lom3.10041. (70)
52. Sackett D., Drazen J. C., Choy C. A., Popp B. N., and Pitz G. (2015) Mercury sources and trophic ecology for Hawaiian bottomfish. *Environmental Science and Technology* 49: 6909-6918, doi: 10.1021/acs.est.5b01009. (16)
53. Choy C.A., Popp B.N., Hannides C.C.S., and Drazen J.C. (2015) Trophic structure and food resources of epipelagic and mesopelagic fishes in the North Pacific Subtropical

Gyre ecosystem inferred from nitrogen isotopic compositions. *Limnology and Oceanography* 60:1156-1171, doi:10.1002/lo.10085. (71)

54. Hussey N.E., MacNeil M.A., Siple M.C., Popp B.N. Dudley S.F.J., and Fisk A.T. (2015) Expanded trophic complexity among sharks. *Food Webs* 4:1-7, doi: 10.1016/j.fooceb.2015.04.002. (53)
55. Nielsen J.M., Popp B.N., and Winder M. (2015) Metaanalysis of  $\delta^{15}\text{N}$  amino acid values for estimating trophic position in marine organisms. *Oecologia* 178:631-642, doi 10.1007/s00442-015-3305-7. (94)
56. Papastamatiou Y.P., Meyer C.G., Kosaki R.K., Wallsgrove N.J., and Popp B.N. (2015) Movements and foraging of predators associated with mesophotic coral reefs and their potential for linking ecological habitats. *Marine Ecology Progress Series* 521:155-170 doi: 10.3354/meps11110. (48)
57. Hannides C.C.S., Drazen J.C., and Popp B.N. (2015) Mesopelagic zooplankton metabolic demand in the North Pacific Subtropical Gyre. *Limnology and Oceanography* 60:419-428, doi: 10.1002/lo.10032. (8)
58. Lorrain A., Graham B.S., Popp B.N., Allain V., Olson R.J., Hunt B.P.V., Potier M., Fry B., Galvan-Magana F., Menkes C., Kaehler S., and Menard F. (2015) Nitrogen isotopic baselines and implications for estimating foraging habitat and trophic position of yellowfin tuna in the Indian and Pacific Oceans. *Deep-Sea Research II* 113:188-198, doi: 10.1016/j.dsr2.2014.02.003. (96)
59. Downs E.E., Popp B.N., and Holl C.M. (2014) Nitrogen isotope fractionation and amino acid turnover rates in the Pacific white shrimp, *Litopenaeus vannamei*. *Marine Ecology Progress Series* 516:239-250, doi: 10.3354/meps11030. (15)
60. Gutiérrez-Rodríguez A., Décima M., Popp B.N., and Landry M.R. (2014) Invisible trophic links in marine food webs. *Limnology and Oceanography* 59:1590-1598, doi:10.4319/lo.2014.59.5.1590. (52)
61. Penton C.R., Deenik J.L., Popp B.N., Bruland G.L., Engstrom P., Mueller J., Worden A., and Tiedje J.M. (2014) Assessing nitrogen transformations in a flooded agroecosystem using the isotope pairing technique and nitrogen functional gene abundances. *Soil Science* 179: 2-10, doi: 10.1097/SS.0000000000000038. (5)
62. Hoen D.K., Kim S.L., Hussey N.E., Wallsgrove N.J., Drazen J.C., and Popp B.N. (2014) Amino acid  $^{15}\text{N}$  trophic enrichment factors of four large carnivorous fishes. *Journal of Experimental Marine Biology and Ecology* 453:76-83. (52)
63. Arthur K.E., Kelez S.S., Larsen T., Choy C.A., and Popp B.N. (2014) Tracing the biosynthetic source of essential amino acids in marine turtles using  $\delta^{13}\text{C}$  fingerprints. *Ecology* 95:1285-1293 <http://dx.doi.org/10.1890/13-0263.1>. (52)
64. Madigan D.J., Baumann Z., Carlisle A.B., Hoen D.K., Popp B.N., Dewar H., Snodgrass O.E., Block B.A., and Fisher N.S. (2014) Reconstructing transoceanic migration patterns of Pacific bluefin tuna using a chemical toolbox. *Ecology* <http://dx.doi.org/10.1890/13-1467.1>. (47)

65. Wolhowe M.D., Prahl F.G., White A.E., Popp B.N., and Navarro A.R. (2014) A biomarker perspective on coccolithophorid growth and export in a stratified sea. *Progress in Oceanography* 122:65-76, <http://dx.doi.org/10.1016/j.pocean.2013.12.001>. (7)
66. Bradley C.J., Madigan D.J., Block B.A., and Popp B.N. (2014) Amino acid isotope incorporation and enrichment factors in Pacific bluefin tuna, *Thunnus orientalis*. *PLoS ONE* 9(1): e85818. doi:10.1371/journal.pone.0085818. (56)
67. Hannides C.C.S., Popp B.N., Choy C.A., and Drazen J.C. (2013) Midwater zooplankton and suspended particle dynamics in the North Pacific subtropical gyre: a stable isotope perspective. *Limnology and Oceanography* 58:1931-1946, doi:10.4319/lo.2013.58.6.1931. (95)
68. Blum J.D., Popp B.N., Drazen J.C., Choy A.C., and Johnson M.W. (2013) Methylmercury production below the mixed layer in the North Pacific Ocean. *Nature Geoscience* 6:879-884, doi:10.1038/ngeo1918. (203) *Web of Science Highly Cited Paper*
69. Cox T.E., Foster M.S., Popp B.N., Smith C.M., and Abbott I.A. (2013) Can stormwater be detected by algae in an urban reef in Hawai'i? *Marine Pollution Bulletin* 71:92-100, doi: 10.1016/j.marpbul.2013.03.030. (9)
70. Beman J.M., Shih J.L., and Popp B.N. (2013) Nitrite oxidation in the upper water column and oxygen minimum zone of the eastern tropical North Pacific Ocean. *The ISME Journal* 7:2192-2205, doi:10.1038/ismej.2013.96. (72)
71. Decima M., Landry M.R., and Popp B.N. (2013) Environmental perturbation effects on baseline  $\delta^{15}\text{N}$  values and zooplankton trophic flexibility in the southern California Current Ecosystem. *Limnology and Oceanography* 58:624-634, doi:10.4319/lo.2013.58.2.0624. (47)
72. Vander Zanden H.B., Arthur K.E., Bolten A.B., Popp B.N., Lagueux C.J., Harrison E., Campbell C.L., and Bjorndal K.A. (2013) Trophic ecology of a green turtle breeding population. *Marine Ecology Progress Series* 476:237-249, doi: 10.3354/meps10185. (80)
73. White A.E., Foster R.A., Benitez-Nelson C.R., Masque P., Verdeny E., Popp B.N., Arthur K.E., and Prahl F.G. (2013) Nitrogen fixation in the Gulf of California and the eastern tropical North Pacific. *Progress in Oceanography* 109:1-17, <http://dx.doi.org/10.1016/j.pocean.2012.09.002>. (49)
74. Penton C.R., Deenik J.L., Popp B.N., Bruland G., Engstrom P., Mueller J., Worden A., and Tiedje J. (2012) Importance of sub-surface rhizosphere-mediated coupled nitrification-denitrification in a flooded agroecosystem in Hawaii. *Soil Biology and Biochemistry* 57:362-373, <http://dx.doi.org/10.1016/j.soilbio.2012.10.018>. (34)
75. Madigan D.J., Litvin S.Y., Popp B.N., Carlisle A.B., Farwell C.J., and Block B.A. (2012) Tissue turnover rates and isotopic trophic discrimination factors in the endothermic teleost, Pacific Bluefin tuna (*Thunnus orientalis*). *PLoS ONE* 7(11): e49220. doi:10.1371/journal.pone.0049220. (110)

76. Choy C.A., Davison P.C., Drazen J.C., Flynn A., Gier E.J., Hoffman C, McClain-Counts J.P., Miller T.W., Popp B.N., Ross S.W., and Sutton T.T. (2012) Global trophic position comparison of two dominant mesopelagic fish families (Myctophidae, Stomiidae) using amino acid nitrogen isotopic analyses. *PLoS ONE* 7(11): e50133. doi:10.1371/journal.pone.0050133. (85)
77. Seminoff J., Benson S.R., Arthur K.E., Tomoharu E., Dutton P.H., Tapilatu R.F., and Popp B.N. (2012) Stable isotope tracking of endangered sea turtles: Validation with satellite telemetry and  $\delta^{15}\text{N}$  analysis of amino acids. *PLoS ONE* 7: e37403. doi:10.1371/journal.pone.0037403. (127)
78. Beman J.M., Popp B.N., and Alford S.E. (2012) Quantification of ammonia oxidation rates and ammonia-oxidizing archaea and bacteria at high resolution in the Gulf of California and eastern tropical North Pacific. *Limnology and Oceanography* 57:711-726. (129)
79. O'Malley J.M., Drazen J.C., Popp B.N., Gier E., and Toonen R.J. (2011) Spatial variability in growth and prey availability of lobsters in the northwestern Hawaiian Islands. *Marine Ecology Progress Series* 449:211-220, doi: 10.3354/meps09533. (13)
80. Dale J.J., Wallsgrove N.J., Popp B.N., and Holland K. (2011) Foraging ecology and nursery habitat use of a benthic stingray from stomach content, bulk and amino acid stable isotope analysis *Marine Ecology Progress Series* 433:221-236, doi: 10.3354/meps09171. (120)
81. Kalansky J.F., Robinson R.S., and Popp B.N. (2011) Insights into nitrogen cycling in the western Gulf of California from nitrogen isotopic composition of diatom-bound organic matter. *Geochemistry, Geophysics, and Geosystems* 12 Q06015, doi:10.1029/2010GC003437. (8)
82. Christman G.D., Cottrell M.T., Popp B.N., Gier E., and Kirchman D.L. (2011) Abundance, Diversity, and Activity of Ammonia-Oxidizing Prokaryotes in the Coastal Arctic Ocean in Summer and Winter. *Applied and Environmental Microbiology*, 77:2026-2034, doi:10.1128/AEM.01907-10. (98)
83. Beman J.M., Chow C.-E., King A., Feng Y., Fuhrman J., Andersson A., Bates N.R., Popp B.N., and Hutchins D. (2011) Global declines in oceanic nitrification rates as a consequence of ocean acidification. *Proceeding of the National Academy of Sciences* 108:208-211, www.pnas.org/cgi/doi/10.1073/pnas.1011053108. (296) *Web of Science Highly Cited Paper*
84. Uchikawa J., Popp B.N., Schoonmaker J.E., Timmermann A., and Lorenz S.J. (2010) Geochemical and climate modeling evidence for Holocene aridification in Hawaii: Dynamic response to a weakening of the equatorial cold tongue. *Quaternary Science Reviews* 29, 3057-3066, doi:10.1016/j.quascirev.2010.07.014. (9)
85. Olson R.J., Popp B.N., Graham B.S., Lopez-Ibarra G.A., Galvan-Magana F., Lennert-Cody C.E., Bocanegra-Castillo N., Wallsgrove N.J., Gier E., Alatorre-Ramirez V., Ballance L.T., and Fry B. (2010) Food web inferences of stable isotope spatial patterns in copepods and yellowfin tuna in the pelagic eastern Pacific Ocean. *Progress in Oceanography* 86, 124-138, doi:10.1016/j.pocean.2010.04.026. (142)

86. Lorrain A., Graham B.S., Ménard F., Popp B.N., Bouillon S., van Breugel P., and Cherel Y. (2009) Nitrogen and carbon isotope values of individual amino acids: A tool to study foraging ecology of penguins in the Southern Ocean. *Marine and Ecology Progress Series* 391, 293-306, doi: 10.3354/meps08215. (141)
87. Choy C.A., Popp B.N., Kaneko J.J., and Drazen J.C. (2009) The influence of depth on mercury levels in pelagic fishes and their prey. *Proceeding of the National Academy of Sciences* 106, 13865-13869 cgi/doi/10.1073/pnas.0900711106. (148)
88. Hannides C.C.S., Popp B.N., Landry M.R., and Graham B.S. (2009) Quantification of zooplankton trophic position in the North Pacific Subtropical Gyre using stable nitrogen isotopes. *Limnology and Oceanography* 54, 50-61. (179)
89. Drazen J.C., Popp B.N., Choy C.A., Clemente T., DeForest L., and Smith K.L. Jr. (2008) Short-Circuiting the abyssal benthic food-web: macrourid diet in the eastern North Pacific inferred from stomach content and stable isotopes analyses. *Limnology and Oceanography* 53, 2644-2654. (91)
90. Priscu J.C., Christner B.C., Dore J.E., Westley M.B., Popp B.N., Casciotti K.L., and Lyons W.B. (2008) Supersaturated N<sub>2</sub>O in a perennially ice-covered Antarctic lake: Molecular and stable isotopic evidence for a biogeochemical relict. *Limnology and Oceanography*, 53, 2439-2450. (30)
91. Smith S.V., Ibarra-Obando S.E., Diaz-Castaneda V.M., Aranda-Manteca F.J., Carriquiry J.D., Popp B.N., and Gonzalez-Yajimovich O. (2008) Sediment organic carbon in Todos Santos Bay, Baja California, Mexico, *Estuaries and Coasts*, 31, 719-727, doi 10.1007/s12237-008-9054-7. (14)
92. Malinverno E., Prahl F.G., Popp B.N., and Ziveri P. (2008) Alkenone abundance and its relationship to the coccolithophore assemblage in Gulf of California surface waters. *Deep-Sea Research I*, 55, 1118-1130, doi:10.1016/j.dsr.2008.04.007. (20)
93. Lam P., Cowen J.P., Popp B.N., and Jones R.D. (2008) Microbial ammonia oxidation and enhanced nitrogen cycling in the Endeavour hydrothermal plume. *Geochimica et Cosmochimica Acta*, 72, 2268-2286, doi:10.1016/j.gca.2008.01.033. (41)
94. Beman J.M., Popp B.N., and Francis C.A. (2008) Molecular and biogeochemical evidence for ammonia oxidation by marine Crenarchaeota in the Gulf of California. *The ISME Journal*, 2, 429-441, doi:10.1038/ismej.2007.118. (409) *Web of Science Highly Cited Paper*
95. Knies J., Mann U., Popp B.N., Stein R., and Brumsack H.J. (2008) Nitrogen cycling in the Arctic Ocean over the past 60 million years. *Paleoceanography*, 23, PA1S16, doi:10.1029/2007PA001470. (40)
96. Southwell M.W., Popp B.N., and Martens C.S. (2008) Nitrification controls in fluxes and isotopic composition of nitrate from Florida Keys sponges. *Marine Chemistry* 108, 96-108, doi:10.1016/j.marche,.2007.10.005. (71)
97. Uchikawa J., Popp B.N., Schoonmaker J.E., and Le X. (2008) Direct application of compound-specific radiocarbon analysis of leaf waxes for establishment of lacustrine sediment chronology. *Journal of Paleolimnology* DOI 10.1007/s10933-007-9094-1. (30)

98. Popp B.N., Graham B.S., Olson R.J., Hannides C.C.S., Lott M.J., Lopez-Ibarra G.A., Galvan-Magana F., and Fry B. (2007) Insight into the trophic ecology of yellowfin tuna, *Thunnus albacares*, from compound-specific nitrogen isotope analysis of proteinaceous amino acids. In Dawson T. and Siegwolf R. (eds) Stable Isotopes as Indicators of Ecological Change, Elsevier Academic Press, Terrestrial Ecology Series p. 173-190. (325)
99. White A.E., Prahl F.G., Letelier R.M., and Popp B.N. (2007) Summer surface waters in the Gulf of Mexico: prime habitat for biological N<sub>2</sub> fixation. *Global Biogeochemical Cycles* 21, GB2017, doi:10.1029/2006GB002779. (74)
100. Yamagishi H., Westley M.B., Popp B.N., Toyoda S., Yoshida N., Watanabe S., Koba K., and Yamanaka Y. (2007) Role of nitrification and denitrification on the nitrous oxide cycle in the eastern tropical North Pacific and Gulf of California. *Journal of Geophysics Research - Biogeosciences* 112, G02015, doi:10.1029/2006JG000227. (113)
101. Westley M.B., Popp B.N., and Rust T.M. (2007) The calibration of the intramolecular nitrogen isotope distribution in nitrous oxide measured by isotope ratio mass spectrometry. *Rapid Communications in Mass Spectrometry* 21, 391-405, doi: 10.1002/rcm.2828. (53)
102. Graham B.S., Grubbs D., Holland K., and Popp B.N. (2007) A rapid ontogenetic shift in the diet of juvenile yellowfin tuna from Hawaii, *Marine Biology* 150, 647-658, DOI 10.1007/s00227-006-0360-y. (214)
103. Cassar N., Laws E.A., and Popp B.N. (2006) Carbon isotopic fractionation by the marine diatom *Phaeodactylum tricornutum* under nutrient- and light-limited growth conditions, *Geochimica et Cosmochimica Acta* 70, 5323-5335, doi:10.1016/j.gca.2006.08.024. (40)
104. Westley M.B., Yamagishi H., Popp B.N., and Yoshida N. (2006) Nitrous oxide cycling in the Black Sea inferred from stable isotope and isotopomer distributions, *Deep-Sea Research II* 53, 1802-1816, doi:10.1016/j.dsr2.2006.03.012. (63)
105. Popp, B.N., Bidigare R.R., Deschenes B., Laws E.A., Prahl F.G., Tanimoto J.K., and Wallsgrove R.J. (2006) A new method for estimating growth rates of alkenone-producing haptophytes, *Limnology and Oceanography – Methods*, 4, 114-129. (30)
106. Popp, B.N., Prahl F.G., Wallsgrove R.J., and Tanimoto J. (2006) Seasonal patterns of alkenone production in the subtropical oligotrophic North Pacific, *Paleoceanography*, 21, PA1004, doi:10.1029/2005PA001165. (32)
107. Yamagishi H., Yoshida N., Toyoda S., Popp B.N., Westley M.B., and Watanabe S. (2005) Contributions of denitrification and mixing on the distribution of nitrous oxide in the North Pacific, *Geophysical Research Letters*, 32, doi 10.10292004GL021458. (43)
108. Prahl F.G., Popp B.N., Karl D.M., and Sparrow M.A. (2005) Ecology and biogeochemistry of alkenone production at Station ALOHA. *Deep-Sea Research I*, 52, 699-719. (67)

109. Nevison C.D., Keeling R.F., Weiss R.F., Popp B.N., Jin X., Porter L.W., and Hess P.G. (2005) Southern Ocean ventilation inferred from seasonal cycles of atmospheric N<sub>2</sub>O and O<sub>2</sub>/N<sub>2</sub> at Cape Grim, Tasmania, *Tellus B*, **57**, 218-229. (51)
110. Fletcher C.H. III, Murray-Wallace C.V., Glenn C.R., Sherman C.E., Popp B.N., and Hessler A. (2005) Age and origin of Late Quaternary Eolianite, Kaiehu Point (Moomomi), Molokai, Hawaii, *Coastal Research*, **42**, 97-112. (21)
111. Gaidos E., Lanoil B., Thorsteinsson T., Graham A., Skidmore M., Han S-K, Rust T.M., and Popp B.N. (2004) A Viable Microbial Community in a Subglacial Volcanic Crater Lake, Iceland, *Astrobiology*, **4**, 327-344. (93)
112. Kenig F., Hudson J.D., Sinninghe Damsté J.S., and Popp B.N. (2004) Intermittent euxinia: Reconciliation of a Jurassic black-shale with its biofacies, *Geology*, **32**, 421-426. (71)
113. Cassar N., Laws E.A., Bidigare R.R., and Popp B.N. (2004) Bicarbonate uptake by Southern Ocean phytoplankton, *Global Biogeochemical Cycles*, **18**, Paper number 2003GB002116. (100)
114. Popp B.N., Westley M.B., Toyoda S., Miwa T., Dore J.E., Yoshida N., Rust T.M., Sansone F.J., Russ M.E., Ostrom N.E., and Ostrom P. (2002) Nitrogen and oxygen isotopomeric constraints on the origins and sea-to-air flux of N<sub>2</sub>O in the oligotrophic subtropical North Pacific gyre. *Global Biogeochemical Cycles*, **16**, Paper number 2001GB001806. (118)
115. Cassar N., Laws E.A., Popp B.N., and Bidigare R.R. (2002) Sources of inorganic carbon for photosynthesis in a strain of *Phaeodactylum tricornutum*. *Limnology and Oceanography*, **47**, 1192-1197. (23)
116. Laws E.A., Popp B.N., Cassar N., and Tanimoto J. (2002) <sup>13</sup>C discrimination patterns in oceanic phytoplankton: likely influence of CO<sub>2</sub> concentrating mechanisms, and implications for palaeoreconstructions. *Functional Plant Biology*, **29**, 323-333. (83)
117. Cowen J.P., Wen X., and Popp B.N., (2002) Methane in aging hydrothermal plumes. *Geochimica et Cosmochimica Acta*, **66**, 3563-3571. (64)
118. Sansone F.J., Popp B.N., Gasc A., Graham A.W., and Rust T.M. (2001) Highly elevated methane in the eastern tropical North Pacific and the associated isotopically enriched fluxes to the atmosphere. *Geophysical Research Letters*, **28**, 4567-4570, Paper number 2001GL013460. (75)
119. Westley, M.B., Popp, B.N., Rust, T.M., and Sansone, F.J.( 2001) Sources and isotopic compositions of nitrous oxide in the subtropical North Pacific and the eastern tropical North Pacific. *Proceedings of the First International Symposium on Isotopomers*, 23-26 July 2001, Yokohama, Japan. (0)
120. Laws E.A., Popp B.N., Bidigare R.R., Riebesell U., Burkhardt S., and Wakeham S.G. (2001) Controls on the molecular distribution and carbon isotopic composition of alkenones in certain haptophyte algae. *Geochemistry, Geophysics, and Geosystems*, **2**, Paper number 2000GC000057. (79)

121. Ostrom N.E., Russ M.E., Popp B.N., Rust T.M., and Karl D.M. (2000) Mechanisms of N<sub>2</sub>O production in the subtropical North Pacific based on determinations of the isotopic abundances of N<sub>2</sub>O and O<sub>2</sub>. *Chemosphere – Global Change Science*, **2**, 281-290. (83)
122. Kenig F., Popp B.N., and Summons R. (2000) Preparative HPLC with Ultrastable-Y zeolite for compound-specific carbon isotopic analyses. *Organic Geochemistry*, **31**, 1087-1094. (26)
123. Holmes M.E., Sansone F.J., Popp B.N., and Rust T.M. (2000) Methane production, consumption and air-sea exchange in the open ocean: An evaluation based on carbon isotopic ratios. *Global Biogeochemical Cycles*, **14**, 1-10. (125)
124. Berner R.A., Petsch S.T., Lake J.A., Beering D.J., Popp B.N., Lane R.S., Laws E.A., Westley M.B., Cassar N., Woodward F.I., and Quick W.P. (2000) Isotope fractionation and atmospheric oxygen: Implications for Phanerozoic O<sub>2</sub> evolution. *Science*, **287**, 1630-1633. (235)
125. Popp B.N., Trull T., Kenig F., Wakeham S.G., Rust T.M., Tilbrook B., Griffiths F.B., Wright S.W., Marchant H.J., Bidigare R.R., and Laws E.A. (1999) Controls on the carbon isotopic composition of Southern Ocean phytoplankton. *Global Biogeochemical Cycles*, **13**, 827-843. (126)
126. Bidigare R.R., Hanson K.L., Buessler K.O., Wakeham S.G., Freeman K.H., Pancost R.D., Millero F.J., Steinberg P., Popp B.N., Latasa M., Landry M.R., and Laws E.A. (1999) Iron-stimulated changes in <sup>13</sup>C fractionation and export by equatorial Pacific phytoplankton: Toward a paleogrowth proxy. *Paleoceanography*, **14**, 589-595. (99)
127. Popp B.N., Hanson K.L., Dore J.E., Bidigare R.R., Laws E.A., and Wakeham S.G. (1999) Controls on the carbon isotopic composition of phytoplankton: Paleoceanographic perspectives, in *Reconstructing Ocean History: A Window into the Future*, edited by F. Abrantes and A. Mix, pp. 381-398, Kluwer Academic/Plenum Publishers, New York. (29)
128. Sansone F.J., Holmes M.E., and Popp B.N. (1999) Methane stable isotopic ratios and concentrations as indicators of methane dynamics in estuaries. *Global Biogeochemical Cycles*, **13**, 463-474. (70)
129. Becker L., Popp B.N., Rust T.M., and Bada J.L. (1999) The origin of organic matter in the Martian meteorite ALH84001. *Earth and Planet Science Letters*, **167**, 71-79. (95)
130. Bidigare R.R., Fluegge A., Freeman K.H., Hanson K.H., Hayes J.M., Hollander D., Jasper J.P., King L.L., Laws E.A., Milder J., Millero F.J., Pancost R., Popp B.N., Steinberg P.A., and Wakeham S.G. (1999) Correction to "Consistent fractionation of <sup>13</sup>C in nature and in the laboratory: Growth-rate effects in some haptophyte algae" by Bidigare et al. *Global Biogeochemical Cycles*, **13**, 251-252. (34)
131. Dore J.E., Popp B.N., Karl D.M., and Sansone F.J. (1998) A large source of atmospheric nitrous oxide from subtropical North Pacific surface waters. *Nature*, **396**, 63-66. (210)
132. Popp B.N., Laws E.A., Bidigare R.R., Dore J.E., Hanson K.L., and Wakeham S.G. (1998) Effect of phytoplankton cell geometry on carbon isotopic fractionation. *Geochimica et Cosmochimica Acta*, **62**, 69-77. (610)

133. Popp B.N., Kenig F., Wakeham S.G., Laws E.A., and Bidigare R.R. (1998) Does growth rate affect ketone unsaturation and intracellular carbon isotopic variability in *Emiliania huxleyi*? *Paleoceanography*, **13**, 35-41. (123)
134. Laws E.A., Thompson P.A., Popp B.N., and Bidigare R.R. (1998) Sources of inorganic carbon for microalgal photosynthesis: A reassessment of  $\delta^{13}\text{C}$  data from batch culture studies of *Thalassiosira pseudonana* and *Emiliania huxleyi*. *Limnology and Oceanography*, **43**, 136-142. (42)
135. Reeburgh W.S., Hirsch A.I., Sansone F.J., Popp B.N., and Rust T.M. (1997) Carbon isotope effect accompanying microbial oxidation of methane in boreal forest soils. *Geochimica et Cosmochimica Acta*, **61**, 4761-4767. (82)
136. Laws E.A., Bidigare R.R., and Popp B.N. (1997) Effect of growth rate and CO<sub>2</sub> concentration on carbon fractionation by the marine diatom *Phaeodactylum tricornutum*. *Limnology and Oceanography*, **42**, 1552-1560. (195)
137. Popp B.N., Parekh P., Tilbrook B., Bidigare R.R., and Laws E.A. (1997) Organic carbon  $\delta^{13}\text{C}$  variations in sedimentary rocks as chemostratigraphic and paleoenvironmental tools. *Palaeogeography, Palaeoclimatology, and Palaeoecology*, **132**, 119-132. (92)
138. Bidigare R.R., Fluegge A., Freeman K.H., Hanson K.H., Hayes J.M., Hollander D., Jasper J.P., King L.L., Laws E.A., Milder J., Millero F.J., Pancost R., Popp B.N., Steinberg P.A., and Wakeham S.G. (1997) Consistent fractionation of <sup>13</sup>C in nature and in the laboratory: Growth-rate effects in some haptophyte algae. *Global Biogeochemical Cycles*, **11**, 279-292. (410)
139. Sansone F.J., Popp B.N., and Rust T.M. (1997) Stable carbon isotopic analysis of low-level methane in water and gas. *Analytical Chemistry*, **69**, 40-44. (76)
140. \*Laws E.A., Popp B.N., Bidigare R.R., Kennicutt M.C., and Macko S.A. (1995) Dependence of phytoplankton carbon isotopic composition on growth rate and [CO<sub>2</sub>]aq: Theoretical considerations and experimental results. *Geochimica et Cosmochimica Acta*, **59**, 1131-1138. **\*Best Paper of the Year 1995, Organic Geochemistry Division of the Geochemical Society** (747)
141. Popp B.N., Sansone F.J., Rust, T.M., and Merritt D.A. (1995) Determination of concentration and carbon isotopic composition of dissolved methane in sediments and nearshore waters. *Analytical Chemistry*, **67**, 405-411. (100)
142. Keely B.J., Harris P.G., Popp B.N., Hayes J.M., Meischner D., and Maxwell J.R. (1994) Porphyrin and chlorin distributions in a Late Pliocene lacustrine sediment. *Geochimica et Cosmochimica Acta*, **58**, 3691-3701. (48)
143. Sansone F.J., Hollibaugh J.T., Vink S.M., Chambers R.M., Joye S.B., and Popp B.N. (1994) Diver-operated piston corer for nearshore use. *Estuaries*, **17**, 716-720. (11)
144. Anderson T.F., Popp B.N., Ho L-Z, Williams A.C., and Hudson J.D. (1994) The stable isotope records of fossils from the Peterborough Member, Lower Oxford Clay Formation (Jurassic), UK: paleoenvironmental implications. *Journal of the Geological Society of London*, **151**, 125-138. (162)

145. Kenig F., Hayes J.M., Popp B.N., and Summons R. (1994) Isotopic biogeochemistry of the Jurassic Oxford Clay Formation (Jurassic), U.K. *Journal of the Geological Society of London*, **151**, 139-152. (88)
146. Tupas L.M., Popp B.N., and Karl D.M. (1994) Dissolved Organic Carbon in Oligotrophic Waters: Experiments on Sample Preservation, Storage and Analysis. *Marine Chemistry*, **45**, 207-216. (89)
147. Chicarilli M.A., Hayes J.M., Popp B.N., Eckardt C.B and Maxwell J.R. (1993) Carbon and nitrogen isotopic compositions of alkyl porphyrins from the Triassic Serpiano Oil Shale. *Geochimica et Cosmochimica Acta*, **57**, 1307-1311. (49)
148. Popp B.N., Hayes J.M., and Boreham C.J. (1993) Microscale determination of the spectral characteristics and carbon-isotopic compositions of porphyrins. *Energy and Fuels*, **7**, 185-190. (6)
149. Popp B.N. (1991) Isotopic analyses of individual compounds, In *Marine Particles: Analysis and Characterization* (eds. D.C Hurd and D.W. Spencer), AGU Geophysical Monograph 63, 199-205.
150. Takigiku R., Popp B.N., Johnson M.W., Hayes J.M., Albrecht P., Callot H.J., and Ocampo R. (1991) Primary and secondary controls on carbon-isotopic compositions of sedimentary organic matter. In *Diversity of Environmental Biogeochemistry* (J. Berthelin, ed.), Elsevier, 3-14. (3)
151. Boreham C.J., Fookes C.J.R., Popp B.N., and Hayes J.M. (1990) Origin of petro-porphyrins II – Evidence from stable carbon isotopes. *Energy and Fuels*, **4**, 658-661. (22)
152. Hayes J.M., Freeman K.H., Hoham C.H., and Popp B.N. (1990) Compound-specific isotopic analyses, a novel tool for reconstruction of ancient biogeochemical processes. *Organic Geochemistry 1989*, **16**, 1115-1128. (865)
153. Ocampo R., Popp B.N., Horowitz M., Callot H., Hayes J.M., and Albrecht P. (1989) Different isotope compositions of C<sub>32</sub> DPEP and C<sub>32</sub> etioporphyrin III in oil shale. Origin of etioporphyrin III from heme? *Naturwissenschaften*, **76**, 419-421. (41)
154. Delaney M.L., Popp B.N., Lepzelter C.G., and Anderson T.F. (1989) Lithium-to-calcium ratios in Modern, Cenozoic, and Paleozoic articulate brachiopod shells. *Paleoceanography*, **4**, 681-691. (40)
155. Hayes J.M., Popp B.N., Takigiku R., and Johnson M.W. (1989) An isotopic study of biogeochemical relationships between carbonates and organic carbon in the Greenhorn Formation. *Geochimica et Cosmochimica Acta*, **53**, 2961-2972. (269)
156. Boreham C.J., Fookes C.J.R., Popp B.N., and Hayes J.M. (1989) Origins of etioporphyrins in sediments: evidence from stable carbon isotopes. *Geochimica et Cosmochimica Acta*, **53**, 2451-2455. (62)
157. Popp B.N., Takigiku R., Hayes J.M., Louda J.Wm., and Baker E.W. (1989) The post-Paleozoic chronology and mechanism of <sup>13</sup>C depletion in primary marine organic matter. *American Journal of Science*, **289**, 436-454. (363)

158. Popp B.N., Podosek F.A., Brannon J.C., Anderson T.F., and Pier J. (1986)  $^{87}\text{Sr}/^{86}\text{Sr}$  ratios in Permo-Carboniferous sea water from the analyses of well preserved brachiopod shells. *Geochimica et Cosmochimica Acta*, **50**, 1321-1328. (159)
159. Popp B.N., Anderson T.F., and Sandberg P.A. (1986) Brachiopods as indicators of original isotopic compositions in some Paleozoic limestones. *Geological Society of America Bulletin*, **97**, 1262-1269. (499)
160. Popp B.N., Anderson T.F., and Sandberg P.A. (1986) Textural, elemental, and isotopic variations among constituents in Middle Devonian Limestones, North America. *Journal of Sedimentary Petrology*, **56**, 715-727. (145)
161. Popp B.N., and Wilkinson B.H. (1983) Holocene lacustrine ooids from Pyramid Lake, Nevada. In *Coated Grains* (ed. T. Peryt), Springer-Verlag. (49)
162. Wilkinson B.H., Popp B.N., and Owen R.M. (1980) Nearshore oolite formation in a modern temperate region marl lake. *Journal of Geology*, **88**, 697-703. (15)